


The background of the entire page is a blue-tinted photograph of an industrial facility. In the lower-left foreground, three workers wearing hard hats and safety vests are standing and talking. In the center and right, there is complex industrial machinery, including large vertical tanks and a system with multiple pumps and pipes. The floor is concrete, and various industrial components are scattered around.

**Your experts for
safety, facility
and equipment
identification**

Product Catalog

Expert solutions

backed by more than

100 years



It takes a lot to get it right.
To be a company that lasts more than
100 years by continually evolving and growing to
meet the needs of our markets and customers. Brady has not
only survived since it was founded in 1914 — **it has thrived.**
Our first-to-the-market and best-in-the-market approach led us to
receive hundreds of patents over the years and truly shape an industry.

Simply put, **we do what others don't in ways they can't.** We offer innovative products
backed by years of research and development. Beyond our quality products and reliable
solutions, we add value for our customers through strong partnerships and a commitment
to solving important problems.

Brady offers you solutions to help increase safety, security, productivity and performance
throughout your facility — everything from printing systems, software and high-performance
labels, to facility signs, safety devices, expert safety services and more.

► **Let us show you what we have to offer**

HazCom OSHA Standards and GHS Compliance

OSHA's Hazard Communication Standard directly affects all areas of chemical labeling and specify mandatory employee training. This means you need to know exactly what the Global Harmonized System (GHS) is and how it affects your business.

What is GHS?

GHS is an international system that the United Nations created for the unified classification and labeling of chemicals. It was officially adopted in the U.S. on March 26, 2012, by the Occupational Safety and Health Administration (OSHA).

Why does GHS matter?

GHS compliance is important because it gives employees the right to understand hazard information, rather than the right to know about potential hazards.

OSHA HazCom violations

HazCom was #2 on OSHA's Top 10 list of most frequently cited standards for fiscal year 2017.



Regulations

In the United States, OSHA is enforcing GHS by adopting it into its Hazard Communication Standard (CFR 1910.1200). It is focused on ensuring chemical safety in the workplace by requiring chemicals to be labeled and chemical hazards to be identified in a way that is easily understood by workers. It entails:

1910.1200(h)(1)

Employee information and training

1910.1200(e)(1)

Developing, implementing and maintaining a written HazCom program

1910.1200(g)(1)

Developing and maintaining written Safety Data Sheets

1910.1200(f)(1)

Labels on shipped containers

1910.1200(i)(1)

Employee training on new label elements and Safety Data Sheets



HazCom Program



Training



Labeling

Full compliance was required as of June 1, 2016

OSHA published an updated Hazard Communication standard in 2012 that incorporated the major elements of the GHS standards. A 3-year transitional period allowed companies time to fully implement the new GHS standards within their facility prior to the 2016 full compliance deadline. Below is an overview of each of the deadlines and some of the items that were required is listed below.

December 1, 2013	June 1, 2015	December 1, 2015	June 1, 2016
Employers must train employees on the new label elements and Safety Data Sheet (SDS) format ✓ Schedule and document periodic re-training on pictograms, labels and SDS ✓ Post GHS signs, posters, and hand out wallet cards ✓ Be able to demonstrate that workers clearly understand the hazards associated with each chemical they're exposed to, along with practice measures they must take ✓ Separate SDS and Material Safety Data Sheet (MSDS) binders and sheets as part of the management system. This helps you create secondary container labels with SDS information and determine which chemicals haven't been updated	Chemical manufacturers, importers and distributors reclassify chemicals, send SDS and GHS labels ✓ Identify secondary container labeling needs and procedures ✓ Purchase GHS labeling equipment and supplies ✓ Implement labeling procedures (create your own or order pre-printed) based on new SDS sheets ✓ Archive old MSDS for determined amount of time (We recommend 30 years) ✓ Re-train on GHS as well as your existing HazCom system (NFPA/HMIS) until full conversion to GHS is complete	Distributors send only updated SDS and labels ✓ Update your chemical database as new SDSs are received ✓ Review and ensure that all MSDS for any chemicals received after December 1, 2015, have been converted to SDS format ✓ Notify and document your communications with suppliers who have not provided new SDS information ✓ Audit all containers for compliance with updated regulations. Establish policies to control improperly labeled containers	Employer full compliance deadline ✓ Ensure your training policy is in place, including new and existing chemical and internal product changes. Annual training is always recommended ✓ Update and complete a written HazCom program that includes a system of labeling, pictograms, training schedule and how/where to obtain more information ✓ Perform audits as conditions change or once a year to ensure program effectiveness



Continually enhance your HazCom program

Throughout your journey to HazCom/GHS compliance, you should always keep the following tasks in mind:

- Note any hazard or PPE changes on SDS sheets with each chemical that comes into your facility. As new chemicals are brought into your facility, new hazard and PPE needs may be required
- Ensure your written HazCom program is updated and reflects all internal and external changes
- Provide training to all new employees working with or around hazardous chemicals

Safety Data Sheets (SDS)

Formerly called Material Safety Data Sheets (MSDS), the new Safety Data Sheets (SDS) follow a consistent, user-friendly format to communicate chemical hazards. They provide the information that's needed to understand what the chemical is, what hazards it presents and how to respond to these hazards. SDSs must accompany any hazardous chemicals that are distributed. Most of the SDSs you need may be available online or through third party providers, such as MSDSonline.com.

When you need to create your compliant GHS labels, the SDS has the content you need. With the SDS information in hand, you're then ready to order pre-printed labels or quickly create labels onsite with the right printing system.

How do you obtain an SDS?

Chemical manufacturers, distributors or importers are required to create SDSs for any chemical they offer. These SDSs are then provided to the companies that purchase and use the chemicals, in order to effectively communicate any relevant chemical information and hazards.

The 16 elements of Safety Data Sheets (SDS)

The updated standards require that the chemical manufacturer, distributor or importer provide Safety Data Sheets (SDS) for each hazardous chemical to communicate information on these hazards. Each SDS is required to be presented in a consistent format, including the following sections:

Section 1: Identification

Chemical and recommended uses, and supplier contact information.

Section 2: Hazard(s) Identification

Hazards of chemical and the appropriate warning information.

Section 3: Composition/Information of Ingredients

Ingredients contained in the products.

Section 4: First-Aid Measures

Initial care that should be given by an untrained responder to an individual exposed to a chemical.

Section 5: Fire-Fighting Measures

Recommendations for fighting a fire caused by the chemical.

Section 6: Accidental Release Measures

Appropriate response to spills, leaks or releases, including containment and cleanup practices.

Section 7: Handling and Storage

Safe handling practices and conditions for safe storage.

Section 8: Exposure Controls/Personal Protection

Exposure limits, engineering controls and personal protective measures to minimize worker exposure.

Section 9: Physical and Chemical Properties

Physical and chemical properties associated with the substance.

Section 10: Stability and Reactivity

Reactivity hazards and stability information.

Section 11: Toxicology Information

Toxicological and health effects information or indicates data is unavailable.

Section 12: Ecological Information (non-mandatory)

Environmental impact of the chemical(s) if it were released to the environment.

Section 13: Disposal Considerations (non-mandatory)

Proper disposal practices, recycling or reclamation and safe handling practices.

Section 14: Transport Information (non-mandatory)

Classification information for shipping and transporting.

Section 15: Regulatory Information (non-mandatory)

Safety, health and environmental regulations specific for the product that is not indicated anywhere else on the SDS.

Section 16: Other Information

When the SDS was prepared or when the last known revision took place.

Brady's partnership with MSDSonline.com

Without a comprehensive online system to save and manage SDS information, users would have to input data manually in order to print the needed chemical labels. By utilizing Brady's partnership with MSDSonline, labels can be quickly populated and printed — saving you time and ensuring information is input correctly onto the label.



MSDSonline.com

Helps improve the real time management of chemical products and SDS



Brady Printers

Reliable label printing with a range of durable materials for specific applications or regulation requirements.



MSDSonline customers use SDS from their system to create labels that are formatted with the GHS label elements and can be printed to a variety of Brady label printers.

Symbols Guide

The new symbols, also known as hazard pictograms, each serve a special purpose and are used to identify hazardous products. While the environmental pictogram was not mandated by OSHA, it is listed because it may be required by other agencies for labeling.

Chemical and physical risk symbols


Expanding Bomb

Explosives,
self-reactives,
organic peroxides


Flame

Flammable gases,
liquids, and solids;
self-reactives;
pyrophorics;
self-heating


**Flame
Over Circle**

Oxidizing gases,
liquids and solids


Gas Cylinder

Compressed gases;
liquefied gases;
dissolved gases


Corrosion

Corrosives
to metals

Health risk symbols


Corrosion

Skin corrosion;
eye damage


**Skull and
Crossbones**

Acute toxicity
(severe, fatal)


Exclamation Mark

Irritant, dermal
sensitizer, acute
toxicity (harmful)


Health Hazard

Carcinogens, respiratory
sensitizers, reproductive
toxicity, target organ toxicity,
germ cell mutagens

Environmental risk symbols


Environment

Aquatic toxicity
(Not regulated by OSHA)

The Environmental Protection Agency (EPA) has not yet incorporated GHS into its Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) labeling requirements. Currently, a combination product that contains a pesticide and a fertilizer is regulated as a pesticide product under the FIFRA and must continue to be labeled in accordance with 40 CFR Part 156. However, some pesticide products may still be required to have an SDS.

The Six Elements of GHS Labels

GHS labels for primary containers must have six key elements in order to be compliant to the HazCom 2012 standard. All chemicals shipped from chemical manufacturers after June 1, 2015, must contain these six elements.

#6 Manufacturer information

Company name, address and phone number. (SDS Section 1)

#3 Product name or identifiers* (SDS Section 1)

#4 Hazard statements

Phrases that describe the nature of hazardous products and associated risks if precautionary action is not taken. (SDS Section 2)

#1 Signal word

Indicates relative severity of hazard. DANGER is used for most severe instances, while WARNING is less severe. (SDS Section 2)


#2 Symbols (pictograms)

Convey health, physical and environmental hazard information with red diamond pictograms. May use a combination of one to five symbols. (SDS Section 2)

* Additional
Product
Identifiers

#5 Precautionary statements

Phrases associated with each hazard statement, that describe general preventative, response, storage or disposal precautions. (SDS Section 2)



Learn more with the *Streamlined Guide To GHS*

Brady understands that GHS has been a significant change for businesses and that there is a lot you need to do to become GHS compliant.

Download our extensive e-book for help navigating HazCom and GHS compliance.

► Download at: BradyID.com/ghs



Primary vs. Secondary Container



Primary container labeling

Primary chemical containers are bags, barrels, bottles, boxes, cans, cylinders, and drums that you receive from the manufacturer. These containers should be labeled following the GHS mandates and include all six labeling elements.

When a label is on a container directly from a supplier, this label cannot be removed, altered or defaced. If it needs to be replaced, the new label must contain the same information as the original.



Secondary container labeling

Secondary containers are usually smaller than primary container, such as spray bottles, jugs or jars. They usually hold chemicals that are transferred from a primary container.

Secondary containers must comply with GHS workplace labeling requirements except when the following criteria are met:

- The material is used within the work shift of the individual who makes the transfer
- The worker who made the transfer is in the work area the entire time during use
- The container stays in within the work area and in the possession of the worker who filled the container



Regulation information

OSHA has not changed the general requirements for secondary container labeling specifically. Employers have the option to create their own workplace labels by using all of the information provided by the manufacturer or using a combination of the elements in the GHS label example on page 366.

Employers may continue to use rating systems such as the National Fire Protection Association (NFPA) diamonds or Hazardous Materials Identification System (HMIS) requirements for workplace labels, as long as they are consistent with the HazCom 2012 / GHS standard.

Hazard Communication Training

OSHA requires all employees who are covered under the 29 CFR 1910.1200 regulation must complete initial training on the new Hazard Communication Standard updates and the GHS elements. To help you achieve and sustain complete compliance, Brady offers a full suite of training options.

GHS HazCom Training Program (DVD)

Used for: Initial GHS Training

- Two-video program focused specifically on the GHS elements
- Fulfills an initial training requirement
- Program is intended to ensure employees:
 - Understand the new GHS label elements
 - Are able to identify the new GHS pictograms
 - Are able to read and interpret GHS Safety Data Sheets (SDS)
- Includes: DVD with two videos (14 minute GHS Labeling Video and 10 minute GHS SDS Video), instructor's guide, employee quiz, presentation slides and five Employee Handbooks

Catalog #	Description	Qty.
132428	GHS HazCom Training Program Kit (English)	1
132429	Additional GHS HazCom Training Employee Handbooks (English)	5




HazCom Comprehensive Training Program (DVD)

Used for: Annual Refresher Training

- Fully comprehensive training program on OSHA's Hazard Communication Regulation (1910.1200) including GHS
- Fulfills annual refresher requirement
- Program is intended to ensure employees:
 - Understand types of hazardous materials in the workplace
 - Are able to read and understand labels and Safety Data Sheets (SDS)
 - Are able to understand how to safely use hazardous materials
- Includes: DVD, instructor's guide, employee quiz, presentation slides and five Employee Handbooks

Catalog #	Description	Qty.
132457	HazCom Comprehensive Training Program Kit	1
132458	Additional HazCom Comprehensive Training Employee Handbooks	5





GHS Reference Center Poster

- This all-inclusive, large-format poster gets worker's attention and combines many of the most important changes into one easy-to-read format
- Includes detailed information on:
 - Safety Data Sheet (SDS) format
 - GHS-formatted label elements
 - GHS Hazard Pictograms

Catalog #	Description	Size	Qty.
133209	GHS Reference Center Poster	25.5 in. x 39.5 in.	1 each



GHS Pictograms Wallet Cards

- Wallet Cards outline all nine GHS hazard pictograms
- A great training aid to help employees become familiar with the new hazard pictograms, and as a handy reference for when the new GHS labels are entering your facility
- Made of laminated cardstock


Catalog #	Description	Size	Qty.
133208	GHS Pictograms Wallet Card	2.1 in. x 3.4 in.	10/pk



GHS Intro Poster Pack

- Set of 3 informational posters puts critical GHS information in your facility and to promote employee understanding
- Posters outline:
 - An overview of the Globally Harmonized System of Classification and Labeling of Chemicals
 - Information regarding the new Safety Data Sheets format and outline
 - Information regarding the new GHS-formatted label elements

Catalog #	Description	Size	Qty.
133207	GHS Intro Posters	17 in. x 22 in.	1 set of 3



GHS Reference Signs

- Post signs to remind and reinforce label, pictogram and SDS training
- Choice of B-140 fiberglass or B-302 self-sticking polyester

Catalog #	Description	Material	Size	Qty.
133167	GHS Pictogram Overview Sign	Fiberglass	14 in. x 10 in.	1
133170	GHS Pictogram Overview Sign	Self-Sticking	14 in. x 10 in.	1
133168	GHS Label Elements Sign	Fiberglass	10 in. x 14 in.	1
133171	GHS Label Elements Sign	Self-Sticking	10 in. x 14 in.	1
133169	SDS Format Overview Sign	Fiberglass	14 in. x 10 in.	1
133172	SDS Format Overview Sign	Self-Sticking	14 in. x 10 in.	1

Print-Your-Own GHS Labels

Achieve full GHS compliance throughout your facility by utilizing easy-to-use label printers, label design software and a wide range of label materials from Brady.



How can I create a GHS label?

Printer built-in touchscreen app

Many of Brady's printers feature an easy-to-use touchscreen interface with built-in GHS label creation applications that make creating GHS labels simple.

Brady Workstation GHS Labels App

The Brady Workstation GHS App features built-in, pre-formatted layouts, pictograms, as well as drag and drop hazard statements so there's no need to type them all in. Once your label is created, print to any compatible Brady printer.

Brady's partnership with MSDSonline.com

By utilizing Brady's partnership with MSDSonline, labels can be quickly populated using the SDS data managed within your MSDSonline account – saving you time and ensuring information is correctly input onto the label. Once the label is created, print directly to a compatible Brady printer.



How can I print a GHS label?

Your printing solution can consist of a mono-color printer and label materials with pre-printed diamonds, or use a multi-color printer to print your own red diamonds on any blank label material.



Mono-color printing

Pre-printed diamond labels available for the following Brady printers:

- BradyPrinter S3000, BradyPrinter S3100, BradyPrinter i3300, BBP®35, BBP®37 and BBP®85 printers



Multi-color printing

Color printers capable of printing red diamonds on any blank label material:

- BBP®35, BBP®37 color printers
- BradyJet J2000 and J5000 color printers



Pre-Printed and Custom Labels


If a full printing system isn't an option for you, Brady still has solutions to help you get the GHS labels you need. From custom label options to individual pictogram labels, Brady has you covered.

Die-cut GHS pictogram labels

Printing your own GHS labels but can't get the pictograms you need? Use Brady's pre-printed GHS pictogram labels to add the necessary icons to your label. These are a great way to supplement mono-color label printers without investing in a brand new label printing system.

Custom GHS labels

Have Brady create your GHS labels for you! It's simple. Just fill in the forms on the following pages with your label content and specifications. Then send it back to Brady's custom quote team for pricing. From there, use your quote to place the order. That's it!



Write-On GHS Labels

- Ample room to include product identifier, hazard and precautionary statements, and emergency contact information
- Durable vinyl material for indoor or outdoor use
- Accommodate Brady's 5/8 in. or 1 in. pre-printed red diamond pictogram labels (sold separately)

Catalog #	Header	Size	Material	Qty.
145957	Warning	4 in. x 6 in.	Vinyl	50/pk
145956	Danger	4 in. x 6 in.	Vinyl	50/pk



Die-cut picto labels included on every label



Write-On GHS and NFPA Labels with Die-Cut GHS Pictos

- Convenient, write-on GHS labels
- Durable vinyl material for indoor or outdoor use
- Contains both GHS and NFPA label elements
- Included die-cut pictograms can be applied onto the label

Catalog #	Header	Size	Material	Qty.
148804	Warning	4 in. x 6 in.	Vinyl	25/roll
148805	Danger	4 in. x 6 in.	Vinyl	25/roll

Die-Cut GHS Pictogram Labels

- To be applied to primary and secondary container labels that do not already contain GHS pictogram symbols
- Ideal when printing black and white labels or when pictograms are not available in the label design process
- Picto labels must accompany all other required GHS label elements in order to meet OSHA standards



Explosive Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118815	5/8 in.	Vinyl	1 card of 39
118816	1 in.	Vinyl	1 card of 16
118817	2 in.	Vinyl	1 card of 4
B-235 Paper			
118869	5/8 in.	Paper	1 card of 39
118870	1 in.	Paper	1 card of 16
118871	2 in.	Paper	1 card of 4
B-7451 Polyester			
121188	1.5 in.	Polyester	1 card of 20
121202	2 in.	Polyester	Roll of 250
121201	4 in.	Polyester	Roll of 250



Flammable Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118821	5/8 in.	Vinyl	1 card of 39
118822	1 in.	Vinyl	1 card of 16
118823	2 in.	Vinyl	1 card of 4
B-235 Paper			
118875	5/8 in.	Paper	1 card of 39
118876	1 in.	Paper	1 card of 16
118877	2 in.	Paper	1 card of 4
B-7451 Polyester			
121190	1.5 in.	Polyester	1 card of 20
121203	2 in.	Polyester	Roll of 250
121189	4 in.	Polyester	Roll of 250



Oxidizing Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118827	5/8 in.	Vinyl	1 card of 39
118828	1 in.	Vinyl	1 card of 16
118829	2 in.	Vinyl	1 card of 4
B-235 Paper			
118881	5/8 in.	Paper	1 card of 39
118882	1 in.	Paper	1 card of 16
118883	2 in.	Paper	1 card of 4
B-7451 Polyester			
121191	1.5 in.	Polyester	1 card of 20
121205	2 in.	Polyester	Roll of 250
121204	4 in.	Polyester	Roll of 250



Gas Pressure Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118833	5/8 in.	Vinyl	1 card of 39
118834	1 in.	Vinyl	1 card of 16
118835	2 in.	Vinyl	1 card of 4
B-235 Paper			
118887	5/8 in.	Paper	1 card of 39
118888	1 in.	Paper	1 card of 16
118889	2 in.	Paper	1 card of 4
B-7451 Polyester			
121192	1.5 in.	Polyester	1 card of 20
121207	2 in.	Polyester	Roll of 250
121206	4 in.	Polyester	Roll of 250



Corrosive Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118839	5/8 in.	Vinyl	1 card of 39
118840	1 in.	Vinyl	1 card of 16
118841	2 in.	Vinyl	1 card of 4
B-235 Paper			
118893	5/8 in.	Paper	1 card of 39
118894	1 in.	Paper	1 card of 16
118895	2 in.	Paper	1 card of 4
B-7451 Polyester			
121198	1.5 in.	Polyester	1 card of 20
121213	2 in.	Polyester	Roll of 250
121197	4 in.	Polyester	Roll of 250



Severe Toxic Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118845	5/8 in.	Vinyl	1 card of 39
118846	1 in.	Vinyl	1 card of 16
118847	2 in.	Vinyl	1 card of 4
B-235 Paper			
118899	5/8 in.	Paper	1 card of 39
118900	1 in.	Paper	1 card of 16
118901	2 in.	Paper	1 card of 4
B-7451 Polyester			
121200	1.5 in.	Polyester	1 card of 20
121214	2 in.	Polyester	Roll of 250
121199	4 in.	Polyester	Roll of 250



Health Danger Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118851	5/8 in.	Vinyl	1 card of 39
118852	1 in.	Vinyl	1 card of 16
118853	2 in.	Vinyl	1 card of 4
B-235 Paper			
118905	5/8 in.	Paper	1 card of 39
118906	1 in.	Paper	1 card of 16
118907	2 in.	Paper	1 card of 4
B-7451 Polyester			
121196	1.5 in.	Polyester	1 card of 20
121212	2 in.	Polyester	Roll of 250
121195	4 in.	Polyester	Roll of 250



Acute Toxic Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118857	5/8 in.	Vinyl	1 card of 39
118858	1 in.	Vinyl	1 card of 16
118859	2 in.	Vinyl	1 card of 4
B-235 Paper			
118911	5/8 in.	Paper	1 card of 39
118912	1 in.	Paper	1 card of 16
118913	2 in.	Paper	1 card of 4
B-7451 Polyester			
121193	1.5 in.	Polyester	1 card of 20
121209	2 in.	Polyester	Roll of 250
121208	4 in.	Polyester	Roll of 250



Environmental Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118863	5/8 in.	Vinyl	1 card of 39
118864	1 in.	Vinyl	1 card of 16
118865	2 in.	Vinyl	1 card of 4
B-235 Paper			
118917	5/8 in.	Paper	1 card of 39
118918	1 in.	Paper	1 card of 16
118919	2 in.	Paper	1 card of 4
B-7451 Polyester			
121194	1.5 in.	Polyester	1 card of 20
121211	2 in.	Polyester	Roll of 250
121210	4 in.	Polyester	Roll of 250

Custom GHS Label Form

When ordering a Custom GHS Label from Brady, please have a Safety Data Sheet (SDS) in hand to fill in the form. The SDS, supplied from your chemical manufacturer must be up-to-date with GHS elements. All required label elements that are needed to fill this form out are found in sections 1-3 in your chemical SDS. (Once label has been created a proof will be provided.) Once complete, return this form to BradyUSAQuotes@BradyCorp.com or fax to 1-800-292-2289.

Customer Information

Company Name: _____ Name: _____
 Address1: _____ Phone #: _____
 Address2: _____ Fax #: _____
 City: _____ State: _____ Zip: _____
 Email: _____

Distributor Information

Distributor: _____ Contact Name: _____
 Account #: _____ Fax #: _____ Phone #: _____

Label Specifications

Label Material

- ☐ B-302 Self-Sticking Polyester
☐ B-946 Vinyl
☐ B-7569 Economy Vinyl
☐ B-235 Coated Paper

Quantity and Size

(minimum order qty. of 25)

- ☐ 3 in. x 5 in. Qty. _____
☐ 4 in. x 6 in. Qty. _____
☐ 4.5 in. x 7 in. Qty. _____

Label Package

- ☐ Roll Form (100 labels minimum)
☐ Individual Labels

Label Content

Chemical/Product Name:

Signal Word:

(DANGER or WARNING)

Capacity:

Units:

Hazard Statements:

Located on your Safety Data Sheet, please include H-Code if available. i.e. H100

Precautionary Statements/First Aid:

Located on your Safety Data Sheet, please include P-Code if available. i.e. P100

GHS Pictograms:

Locate on your Safety Data Sheet and indicate pictogram number below:
 1 minimum / 4 maximum

Diamond 1: _____ Diamond 3: _____

Diamond 2: _____ Diamond 4: _____



1. Corrosive



2. Severe Toxic



3. Explosive



4. Flammable



5. Environmental



6. Acute Toxic



7. Oxidizing



8. Gas Pressure



9. Health

Additional Label Content:

EC #: _____

CAS #: _____

Index #: _____

Reach Authorization #: _____

Internal Reference #: _____

Chemical Manufacturer Name: _____

Chemical Manufacturer Address: _____

Emergency Contact Phone #: _____

Multiple Languages Requested* _____

* Please indicate languages requested, then provide the necessary translations to the customer service rep after you have received the initial English proof.

Hazard Communication (RTK)

BradyID.com/s36



NFPA




HMIG Color Bar

5 in. x 3 in. Container Labels

- Economical option for secondary container labeling
- Available with NFPA Diamond or HMIG Color Bar formats

Catalog #	Material	Format	Qty.
99175	Paper	HMIG Color Bar	500
121164	Vinyl	HMIG Color Bar	500
99195	Paper	NFPA	500
121146	Vinyl	NFPA	500



Blank NFPA Placards

- Meets NFPA's Code No. 704M and Federal Standard 313
- Place on potentially hazardous equip.
- Use with Gothic style Quik-Align® numbers and letters (sold separately)

Catalog #	Description	Size	Qty.
58656	Fiberglass	11 in.	1
58510	Fiberglass	16 in.	1
58500	Vinyl	2.5 in.	10
58501	Vinyl	5 in.	10
58502	Vinyl	7.5 in.	10
58503	Vinyl	10 in.	10
58504	Vinyl	15 in.	10
58272	Reflective	5 in.	10
58273	Reflective	7.5 in.	10
58274	Reflective	10 in.	10



HMIG Labels Station

- Features six 3/4 in. pockets for holding sheet labels, one 5 in. dowel to hold label rolls and a pen holder
- Displays hazard rating information

Catalog #	Description	Size	Qty.
PD674E	HMIG Label Station	11 in. x 18 in.	1



NFPA



HMIG Color Bar

2 in. x 1.25 in. Lab Labels

- Paper or vinyl materials in NFPA Diamond or HMIG Color Bar formats
- Write-on labels allow you to customize your message

Catalog #	Material	Format	Qty.
58268	Paper	HMIG Color Bar	500
121161	Vinyl	HMIG Color Bar	500
99199	Paper	NFPA	500
121163	Vinyl	NFPA	500



NFPA Placard Kits

- Vinyl kits includes:
 - 10 blank NFPA placards
 - 10 characters each of 0 – 4, W, ☢, OXY, ACID, COR and ALK
- Fiberglass kits includes:
 - 1 blank NFPA placard
 - 10 characters each of 0 – 4, W, ☢, OXY, ACID, COR and ALK

Catalog #	Description	Size	Qty.
50053	Vinyl	10 in.	1 kit
50054	Vinyl	15 in.	1 kit
50055	Fiberglass	11 in.	1 kit
50056	Fiberglass	16 in.	1 kit

HEALTH	FLAMMABILITY	INSTABILITY
A	B	C
D	E	F
G	H	I
J	K	L
M	N	O
P	Q	R
S	T	U
V	W	X
Y	Z	

HMIG Self-Laminating Labels

- Self-adhesive polyester label includes protective laminate cover
- Write in the rating on the left side
- Features index for required PPE

Catalog #	Description	Size	Qty.
60332	Self-Lam Label	2 in. x 3.5 in.	25
60333	Self-Lam Label	3 in. x 5 in.	25



3 in. x 5 in. Write-On Labels


- Customize these Blank RTK Labels by writing your own message on them and adding RTK pictograms

Catalog #	Material	Format	Qty.
121056	Vinyl	NFPA	50



NFPA Diamond Labels

Catalog #	Description	Size	Qty.
53072	Vinyl	6 in. x 6 in.	500



NFPA Information Placards

- Placards graphically explain the NFPA Hazard Identification Coding System

Catalog #	Description	Size	Qty.
78788	Fiberglass	10 in. x 14 in.	1
58511	Vinyl	2.25 in. x 3.125 in.	1
76415	Vinyl	10 in. x 14 in.	1

HEALTH	FLAMMABILITY	INSTABILITY
A	B	C
D	E	F
G	H	I
J	K	L
M	N	O
P	Q	R
S	T	U
V	W	X
Y	Z	

RTK Wallet Card

- Handy wallet-sized reference card of the NFPA Hazard Identification Coding System

Catalog #	Description	Size	Qty.
58515	English	2.125 in. x 3.375 in.	25
89257	Spanish	2.125 in. x 3.375 in.	25

Hazardous Waste Labels

- Labels comply with all current federal regulations regarding identification of hazardous waste materials for transportation



Catalog #	Material	Size	Qty.
121155	Vinyl	6 in. x 6 in.	50
121151	Vinyl	6 in. x 6 in.	100
California Specific Labels			
121157	Vinyl	6 in. x 6 in.	50
121152	Vinyl	6 in. x 6 in.	100
New Jersey Specific Labels			
121156	Vinyl	6 in. x 6 in.	50
121144	Vinyl	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121158	Vinyl	6 in. x 6 in.	50
121153	Vinyl	6 in. x 6 in.	100
121159	Paper	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
121154	Vinyl	6 in. x 6 in.	50
60447	Vinyl	6 in. x 6 in.	100
121064	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121064	Vinyl	4 in. x 6 in.	50
121063	Vinyl	4 in. x 6 in.	100
60445	Paper	4 in. x 6 in.	100




Catalog #	Material	Size	Qty.
121061	Vinyl	4 in. x 4 in.	100
121438	Vinyl	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
87026	Paper	6 in. x 6 in.	50
87031	Vinyl	4 in. x 4 in.	50
87028	Vinyl	6 in. x 6 in.	50

Waste Disposal Labels


- Use to easily identify and sort waste



Catalog #	Material	Size	Qty.
121439	Vinyl	6 in. x 6 in.	100
60363	Paper	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
63240	Vinyl	6 in. x 6 in.	500




Catalog #	Material	Size	Qty.
121062	Vinyl	6 in. x 6 in.	100
60369	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121436	Vinyl	6 in. x 6 in.	100
60364	Paper	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
121140	Vinyl	6 in. x 6 in.	100
60366	Paper	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
121437	Vinyl	6 in. x 6 in.	100
60362	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121433	Vinyl	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121431	Vinyl	6 in. x 6 in.	100
60365	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121432	Vinyl	6 in. x 6 in.	100
60367	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121434	Vinyl	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121435	Vinyl	6 in. x 6 in.	100

Hazardous Material Shipping

BradyID.com/s36

Hazardous Material Shipping Labels

- Composite plastic material offers extreme weatherability so label colors stay bright
- Super tacky adhesive back permanently bonds to most surfaces (including low energy surfaces such as polyethylene bags)
- Labels withstand temperatures of -50°



Class 2:



121066 4 in. x 4 in. 500/roll



121065 4 in. x 4 in. 500/roll



121469 4 in. x 4 in. 500/roll

Class 3:



121067 4 in. x 4 in. 500/roll

Class 4:



121069 4 in. x 4 in. 500/roll



121068 4 in. x 4 in. 500/roll

Placard Labels and GHS

While GHS requires proper chemical labeling, the Department of Transportation (DOT) requires proper labeling when you're shipping chemicals.

This means when the product is shipped, the outer package must bear all of the required DOT marks and labels as well as the GHS label information if it is a primary container.

Essentially, DOT labeling does not change with GHS, but when the primary container is also the shipping container, you'll need both.

Class 5:



121071 4 in. x 4 in. 500/roll



121471 4 in. x 4 in. 500/roll

Class 6:



121466 4 in. x 4 in. 500/roll



63473 4 in. x 4 in. 500/roll



121467 4 in. x 4 in. 500/roll

Class 7:



121473 4 in. x 4 in. 500/roll



121441 4 in. x 4 in. 500/roll

Class 8:



121070 4 in. x 4 in. 500/roll

Class 9:



121141 4 in. x 4 in. 500/roll

HazCom Labels

Die-Cut Placard Numbers



Catalog #	Description	Qty.
5010-*	1 in. Quik-Align Numbers	10pk

Replace () with the desired number (0-9).
Example: To order die-cut 8, order # 5010-8.

Vehicle Placard Signs

Brady also offers a wide range of Vehicle Placard Signs for shipping hazardous materials.

View signs on page 463.



Regulations

OSHA standards require you to have SDS on hand for all chemicals at your facility.

1910.1200(g)(1)

Developing and maintaining written Safety Data Sheets

1910.1200(i)(1)

Employee training on new label elements and Safety Data Sheets



Bilingual Training Insert

- This detailed binder insert package contains:
 - OSHA Haz-Com Standard highlights and overview of program requirements
 - Compliance checklist
 - Two 15-page RTK training booklets,
 - 2-Sided RTK poster (Spanish/English)
 - 50 clear sheet protectors
 - A-Z index tabs

Catalog #	Description
BR801B	Bilingual Binder Insert



Standard MSDS Binders

- 1.5 in. dia. rings hold 275-300 sheets
- 2.5 in. dia. ring holds 400-500 sheets
- 3 in. dia. ring holds 600 sheets
- Durable polyethylene cover, 36 in. chain and pair of sheet lifters

Catalog #	Description
2023	1.5 in. MSDS Binder
2024	2.5 in. MSDS Binder
2025	3.0 in. MSDS Binder
2026	1.5 in. Bilingual MSDS Binder
2027	2.5 in. Bilingual MSDS Binder
2028	3.0 in. Bilingual MSDS Binder
BR801B	Binder Insert



GHS SDS Binders

- Complies with OSHA regulations
- 1.5 in. dia. ring holds 275-300 sheets
- 3 in. dia. ring holds 600 sheets
- Features a durable polyethylene cover, 36 in. chain and a pair of sheet lifters

Catalog #	Description
121183	1.5 in. SDS Binder, English
121184	3 in. SDS Binder, English
121185	1.5 in. SDS Binder, English/Spanish
121186	3 in. SDS Binder, English/Spanish
121187	3 in. SDS Binder, English/French



Double RTK Center

- This center includes red polystyrene board, 2 binder racks and two MSDS binders
- Center size: 20 in. x 29 in. x 4.5 in.

Catalog #	Description
2010DB	Double RTK Compliance Center



Economy RTK Center

- Includes MSDS v-style sign, 8 in. x 14.5 in. x 6 in.
- 1.5 in. MSDS binder with 300 sheet capacity

Catalog #	Description
2007	Economy RTK Center
RK085A	Rack and Binder w/inserts
2005	Rack and Binder Only



GHS SDS Centers

- 20 in. x 14 in. x 4.5 in. center offered in English and Spanish
- Includes 1.5 in. SDS binder, Right To Know Compliance Center backboard and yellow wire rack

Catalog #	Description
121370	SDS Center English
121371	SDS Center Spanish



RTK Compliance Center

- 20 in. x 14 in. x 4.5 in. compliance center includes red polystyrene board, binder rack and MSDS binder
- 1.5 in. binder w/ 300 sheet capacity

Catalog #	Description
2010	Compliance Center
RK018A	Compliance Center w/inserts
2010NB	Compliance Center w/o binder
2010SP	Spanish Compliance Center*

*Board is Spanish with 1.5 in. Bilingual Binder



High Visibility SDS Signs

- High visibility signs easily mount and project from the wall for easy viewing
- Made from heavy-duty B-493 plastic

Catalog #	Style	Size	Qty
139786	V-Shape	6 in. x 9 in. x 4 in.	1
139787	L-Shape	8 in. x 8 in.	1

Safety Information Centers

BradyID.com/s36



Information Centers

- Rugged poly backboard comes with white PVC coated wire basket, allowing for high visibility and convenience
- Tear resistant 3-ring binder holds approx. 300 sheets and includes chain and mounting hardware
- Center Size: 20 in. x 14 in.

Catalog #	Description
IC326E	Emergency Information Center



Bloodborne Pathogen Compliance Center

- Wall-mount display includes a 1.5 in. binder that holds up to 300 pages of your exposure control plans (not included)
- Center size: 20 in. x 14 in. x 4.5 in.

Catalog #	Description
BH2010	Bloodborne Pathogen Center
BH2023	Exposure Control Binder only



Standard Operating Procedures Center

- Poly backboard w/ white PVC coated wire basket
- Rugged binder holds approximately 300 sheets and comes with an attached chain
- Additional binders sold separately

Catalog #	Description
SM681A	Procedures Center
SM682A	Double Standard Operation Procedures Center



Lockout Procedure Station

- Durable polystyrene board includes pre-drilled holes and mounting hardware
- Backboard dimensions: 20 in. x 14 in. x 4.5 in.

Catalog #	Description
LOSP22	Station With Binder and 25 Forms
99289	Lockout Procedure Station With Binder Only
LOSB1	Lockout Procedure Binder Only



MSDS / Job Site Safety Document Center

- Table top or wall mount center holds one 3-ring binder in a weather resistant and lockable polystyrene case
- Size: 13.5 in. x 13.5 in. x 4.75 in.

Catalog #	Description
JS1	MSDS/Job Site Center



Standard RTK Center

- Acrylic board can hold up to 100 booklets and an MSDS binder
- Includes our 1.5 in. binder and 10 training booklets
- Center size: 30 in. x 24 in. x 4.5 in.

Catalog #	Description
2001	Standard Right to Know Center
2012	Board Only
2002	Bilingual version*

*Includes 5 English booklets, 5 Spanish booklets and a bilingual binder

HazCom Labels



Binder Holders

- PVC coated steel racks designed for holding binders up to 3 in. ring dia.
- Single: 9 in. x 14 in. x 4.5 in.
Double: 9 in. x 14 in. x 6.5 in.


Catalog #	Description	Color	Qty.
2014	Single Binder Holder	Yellow	1
2014W	Single Binder Holder	White	1
104791	Double Binder Holder	Yellow	1
104792	Double Binder Holder	White	1



Suggestion Box

- Wall or table mount black acrylic box w/ a lockable top and side pocket
- Box: 12 in. x 11.75 in. x 4.75 in.
Side pocket: 5 in. x 4 in. x 1.625 in.
Top drop slot: 9 in.

Catalog #	Description
MC111E	Suggestion Box



Format 1

Format 2

Confined Space Entry Permits

- 8.5 in. x 11 in. forms include all information required by OSHA's Confined Space Regulation
- Available in several materials to best meet your facility's environment

Catalog #	Description	Qty
EP1	Format 1 Permits	25/pk
65937	Format 2 Permits (2-ply Carbonless)	25/pk



Confined Space Permit Center

- Wall-mounted Permit Center provides ready access to entry permits while making employees aware of special safety requirements
- Holds 8.5 in. x 11 in. forms
Holder dimensions: 15.75 in. x 23.5 in.
- Permit forms sold separately

Catalog #	Description	Qty
PC1	Permit Center (Permit forms sold separately)	25/pk



Confined Space Entry Permit Holder

- Provides a confined space warning and easy access to permits
- Made of durable polycarbonate material
- Holds 8.5 in. x 11 in. forms
Holder dimensions: 12 in. x 19 in.
- Permit forms sold separately

Catalog #	Description	Qty
65903	Permit Holder (Permit forms sold separately)	1



Safe-T-Grip® Fuse Pullers

- Provides maximum convenience when removing or replacing cartridge fuses
- Notched handles for no-slip grip
- Clearly marked amperage ranges
- Exceeds MIL specifications
- For 0-100A, 250V and 600V fuses

Catalog #	Description
65280	Safe-T-Grip Fuse Pullers



E-Z Check® Plus GFI Circuit Tester

- Checks for the following conditions: correct wiring, open ground, reverse polarity, open hot, open neutral, hot on neutral, hot and ground reversed with open hot and ground fault interruption

Catalog #	Description
65273	E-Z Check Plus GFI Circuit Tester



Battery Cleaning and Charging Safety Kit

- Help minimize the risk of acid burns or shocks while charging batteries
- Fully equipped portable kit includes:
 - (1) pair of large unsupported neoprene over natural rubber gloves
 - (1) pair of clear chemical goggles
 - (1) 45 in. x 35 in. black rubber apron
 - (1) 8 in. synthetic brush
 - (2) 9.25 in. x 14.5 in. chemical sorbent pads
 - (1) quart neutralizing and cleaning agent
 - (1) laminated instruction card

Catalog #	Description
BCK	Battery cleaning and charging kit

Arc Flash Safety

What is arc flash and what causes it?

An arc flash is a short circuit through air that flashes from one exposed live conductor to another conductor or ground. This electrical fault can create a dangerous release of energy, including thermal energy, acoustical energy, pressure wave or debris.

There are many ways an arc flash can occur, including:

- Close proximity of a high-amp source to a conductive object
- Dropping a tool or creating a spark
- Breaks or gaps in insulation
- Failing equipment due to use of substandard parts, improper installation or even normal wear and tear
- Dust, corrosion or other impurities on the surface of the conductor

What impacts the size of an arc flash event?

Common variables that impact the size and energy of an arc flash include:

- Amperage
- Voltage
- Arc gap
- Closure time
- Distance from arc
- Three phase vs. single phase
- Confined space



Did You Know?

Anything above 50V that could be worked on while energized, resulting in exposure to electrical hazards, requires an arc flash label.

Examples include, but are not limited to:

- Switchboards
- Panel boards
- Motor control centers
- Industrial control panels
- Meter socket enclosures

NFPA 70E Standard for Electrical Safety in the Workplace

OSHA cites and fines employers for failure to protect employees from the dangers of arc flash under regulation 29 CFR 1910.333(a). The National Fire Protection Association (NFPA) details how to comply with this regulation through the NFPA 70E standard.

According to the NFPA 70E standard, there are six primary responsibilities that facilities must meet, including:

1. Training for employees
2. Written safety program in place that is actionable
3. Personal protective equipment (PPE) available for employees
4. Insulated tools
5. Arc flash hazard degree calculations
6. Properly labeled equipment

Most recent updates (2018)

The NFPA 70E gets updated every three years. Some of the most recent updates include:


- Updated training and retraining requirements
- Revision to arc flash warning label content
- Elimination of the PPE hazard category 0
- Elimination of prohibited approach boundary
- Additional boundary requirements
- Revisions to selecting appropriate PPE
- Minor terminology changes (such as work shoes now referred to as footwear)

What is an arc flash boundary?

An arc flash boundary is the distance at which an electrical arc can flash outward and endanger employees working on electrical equipment.

Additional boundary requirements include:

- Conductive articles of jewelry and clothing: Watchbands, bracelets, rings, key chains, necklaces, metal frame glasses, etc. shall not be worn within the restricted approach boundary
- Working space: Space shall be kept clear and not used for storage to permit safe operation and maintenance
- Barricades: When the arc flash boundary is greater than the limited approach boundary, barricades shall not be placed closer than the arc flash boundary
- Insulated tools: Employees shall use insulated tools when working inside the restricted approach boundary of exposed energized electrical conductors.



1. Exposed / energized conductor or circuit part

2. Restricted approach boundary

Distance where there is an increased likelihood of electric shock

3. Limited approach boundary

Distance where a shock hazard exists

4. Arc flash boundary

Distance from an arc source where the thermal energy exposure could cause 2nd degree burns on unprotected skin

Arc Flash Risk Assessment

The NFPA 70E 2015 edition requires employers to conduct an arc flash risk assessment to determine the amount of thermal energy that could be generated from an arc flash incident. The information is then used to define a flash protection boundary around the potential source, and to determine the level of arc-rated apparel and other personal protection equipment required when employees cross the boundary while they work on or near explosive live parts.

- ▶ **At minimum, the safety program needs to be audited at intervals not to exceed three years and arc flash risk assessments shall be periodically reviewed at intervals not to exceed five years.**

Who should perform arc flash risk assessments?

Completing a best-in-class arc flash risk assessment in-house requires time, resources and analysis software to accurately calculate arc flash risk. In addition, simple miscalculations can lead to incorrect incident energy levels resulting in the improper use of PPE.

Brady's **Arc Flash Risk Assessment Service**, performed by a licensed electrical engineer using power system analysis software, enables you to not only reach compliance, but maintain compliance. Additional services also include Arc Flash Audits and Arc Flash Safety Training.

Arc Flash Labeling

Who's responsible for labeling?

Arc flash labeling is the responsibility of the employer, not the manufacturer or installer of the equipment.

What needs to be labeled?

Labeling is required for any piece of electrical equipment that is likely to require examination, adjustment, service or maintenance while energized, creating the potential for an arc flash incident to occur.

Any modifications or renovations to electrical equipment that changes data on the label requires an updated arc flash risk assessment and label.

Where should the label be placed?

Markings must be in a location that is clearly visible to workers before they may be exposed to any potentially dangerous live parts. Typically, the label is placed outside the panel or enclosure door.



What needs to appear on the label?

Once an arc flash risk assessment has been conducted, in which the arc flash boundary, the incident energy at the working distance and the personal protective equipment required has been determined, Article 130.5 (C) in the 2015 edition of NFPA 70E further dictates that the label must contain these important elements.

Incident energy and corresponding working distance

Min. arc rating of clothes

Arc flash boundary


Site specific PPE

FLASH PROTECTION		SHOCK PROTECTION	
Incident Energy at:	18 in.	Shock Risk When Cover is Removed	480 VAC
Min. Arc Rating:	0.45 cal/cm ²	Limited Approach	42 in.
Arc Flash Boundary:	10 in.	Restricted Approach	12 in.
Glove Class:	00	Bus Name:	
PPE: Shirt and pants or coverall, Nonmelting (ASTM F1506) or Untreated Fiber) + hard hat + safety glasses + hearing protection		PNL_P-5	
		Prot Dev: 100/3 BS-18 LAB PNL	

Header

Shock hazard information

▶ Learn more with our free e-book at BradyID.com/arcflash



Brady Arc Flash Solutions



Arc flash services

Brady understands the importance of electrical safety as a whole and has licensed engineers who understand not only arc flash safety, but also the firsthand impact of arc flash risk. We work with your team to best protect your employees based on your custom facility and program requirements.

- **Arc Flash Risk Assessment**

A Brady safety electrical engineer completes your assessment, provides you with a detailed assessment report, including your single-line diagram, and installs the correct arc flash labels.

- **Arc Flash Audit**

Let our electrical engineer perform your arc flash audit and ensure your assessment is up to date and compliant.

- **Arc Flash Safety Training**

This custom approach to training incorporates both the NFPA regulation and your company-specific arc flash requirements to ensure participating employees can apply their knowledge.



Print your own labels

Create and print customized arc flash labels when and where you need them with an on-demand label printer. When you're working on a project, you can stop handwriting your labels, and print all the labels you need in batches. You also avoid the hassle of having to select, order and wait for pre-printed labels to arrive.



Pre-printed die-cut labels

Pre-printed arc flash labels with the arc flash PPE category and a list of the required PPE relieve the employer from having to hand-write this information. As with the check box labels, a version for both arc flash and shock hazards is available.

Arc Flash Labels

BradyID.com/s36

Pre-Printed Arc Flash Labels

- Labels come with the hazard category and PPE requirements preprinted
- Write in specifics such as minimum arc rating, protection boundary, etc.
- B-7569 vinyl can be written on with pen or marker



Catalog #	Header	Hazard	Size	Qty
121085	Warning	1	5 in. x 7 in.	5/pk.
121087	Warning	2	5 in. x 7 in.	5/pk.
121091	Warning	3	5 in. x 7 in.	5/pk.
121093	Warning	4	5 in. x 7 in.	5/pk.
121086	Danger	1	5 in. x 7 in.	5/pk.
121088	Danger	2	5 in. x 7 in.	5/pk.
121092	Danger	3	5 in. x 7 in.	5/pk.
121094	Danger	4	5 in. x 7 in.	5/pk.

Catalog #	Header	Hazard	Size	Qty
121097	Warning	1	4 in. x 6 in.	5/pk.
121099	Warning	2	4 in. x 6 in.	5/pk.
121101	Warning	3	4 in. x 6 in.	5/pk.
121103	Warning	4	4 in. x 6 in.	5/pk.
121098	Danger	1	4 in. x 6 in.	5/pk.
121100	Danger	2	4 in. x 6 in.	5/pk.
121102	Danger	3	4 in. x 6 in.	5/pk.
121104	Danger	4	4 in. x 6 in.	5/pk.

Write-On Arc Flash Labels

- Write in specifics such as minimum arc rating, protection boundary, etc.
- B-7569 vinyl can be written on with pen or marker



Catalog #	Header	Size	Qty
121077	Warning	5 in. x 7 in.	5/pk.
121078	Danger	5 in. x 7 in.	5/pk.

Catalog #	Header	Size	Qty
121079	Warning	4 in. x 6 in.	5/pk.
121080	Danger	4 in. x 6 in.	5/pk.



Catalog #	Header	Size	Qty
145975	Danger	5 in. x 7 in.	5/pk.
145974	Danger	4 in. x 6 in.	5/pk.
145973	Warning	5 in. x 7 in.	5/pk.
145972	Warning	4 in. x 6 in.	5/pk.

Arc flash hazard categories and PPE requirements

Required Flash Protection Equipment*	
Hazard Category 1 Incident energy 4 cal/cm ²	Arc-rated long-sleeve shirt and long pants (or arc-rated coverall)
	Arc-rated face shield or arc flash hood
	Arc-rated jacket, parka, rainwear or hard hat liner (as needed)
	Hard hat
	Safety glasses or safety goggles
Hazard Category 2 Incident energy 8 cal/cm ²	Hearing protection (ear canal inserts)
	Leather gloves
	Leather footwear (as needed)
	Arc-rated long-sleeve shirt and long pants (or arc-rated coverall)
	Arc-rated face shield or arc flash hood
Hazard Category 3 Incident energy 25 cal/cm ²	Arc-rated jacket, parka, rainwear or hard hat liner (as needed)
	Hard hat and arc-rated hard hat liner
	Safety glasses or safety goggles
	Hearing protection (ear canal inserts)
	Leather footwear
Hazard Category 4 Incident energy 40 cal/cm ²	Arc-rated gloves
	Arc-rated long-sleeve shirt and long pants (or arc-rated coverall)
	Arc-rated arc flash suit jacket and pants
	Arc-rated arc flash hood
	Arc-rated jacket, parka or rainwear (as needed)


* Arc rating of PPE should correspond with the Hazard Category and Incident Energy present. Voltage-rated gloves and other shock protection may also be required when working on exposed energized electrical parts.



Poster

- Highlights the common causes of arc flash and provides safe work practices and personal protection equipment requirements
- Laminated on both sides to stand up to industrial environments
- Full-color printing and eye-catching graphics for optimum visual impact
- Poster reflects all changes from NFPA 70E-2015 regulation


Catalog #	Description	Quantity
104571	18 in. x 24 in. poster	1 each



Sign and Label

- Post signs and labels in the work area and near electrical equipment to boost awareness and compliance
- Signs and labels specify the personal protection equipment required for each arc flash hazard category
- Sign and label reflects all changes from NFPA 70E-2015 regulation
- Sign: B-401 rigid plastic with laminated graphics
- Label: B-302 self-sticking polyester with overlamine

Catalog #	Description	Quantity
102523	7 in. x 10 in. sign	1 each
102524	3.5 in. x 5 in. label	5/pack



Wallet Card

- Ensure compliance and safety by providing each employee with their own arc flash wallet card
- Card specifies the personal protection equipment required for each arc flash hazard category
- Made of laminated cardstock
- Reflects all changes from NFPA 70E-2015 regulation

Catalog #	Description	Quantity
102525	2.1 in. x 3.4 in. card	25/pack



On-Site Arc Flash Training Service

Under the NFPA 70E standard, arc flash training must be completed every three years.

Brady's Arc Flash Safety Training is a custom approach to training that includes:

- Custom training materials with NFPA regulations and your company-specific arc flash information
- On-site interactive training session
- Attendees receive a workbook and a certificate of completion

Training topics include:

- What is an arc flash and related information, such as boundaries, labeling, work permits and PPE requirements
- OSHA regulations, responsibilities, training and PPE
- NFPA updates, compliance and PPE tables
- The difference between qualified and unqualified employees
- And more

For more info, visit BradyID.com/Services

Pre-Printed Labels

BradyID.com/s36

Conduit and Voltage Labels

- Orange markers meet ASME (ANSI) Standard ZG3.22 and alert employees to potentially dangerous machinery or energized equipment
- Cards sold individually



Legend	Style A	Style B	Style C
(blank)	44099	44100	-
110 Volts	44101	44201	44301
115 Volts	44102	44202	44302
120 Volts	44104	44204	44304
120/208 Volts	44159	44259	44359
208 Volts	44106	44206	44306
220 Volts	44107	44207	44307
230 Volts	44108	44208	44308
240 Volts	44110	44210	44310
250 Volts	44111	44211	44311
277 Volts	44112	44212	-
277/480 Volts	44160	44260	44360
440 Volts	44113	44213	44313
460 Volts	44114	44214	44314
480 Volts	44115	44215	44315
550 Volts	44116	44216	-
600 Volts	44118	44218	-
2300 Volts	44134	44234	-
2400 Volts	44121	44221	-
4160 Volts	44122	44222	-

Legend	Style A	Style B	Style C
4800 Volts	44124	-	-
6900 Volts	44125	-	-
7200 Volts	44126	-	-
13,200 Volts	44151	-	-
AC	44127	44227	44327
Air Conditioning	-	44247	44347
Circuit #	44155	44255	-
Circuit Breaker	44157	44257	-
DC	44138	44238	44338
Electric Out of Service	-	44250	-
Emergency Service	-	-	44328
Fuse Box	44158	44258	-
Heating Circuit	-	44248	-
Light and Power	-	44242	44342
Lights	44133	44233	44333
On/Off	-	44256	-
Power	44132	44232	44332
Single Phase	44129	44229	44329
Three Phase	44131	44231	44331
Volts	44149	-	-

120 VOLTS

Style A:

(1) 2.25 in. x 9 in. marker per card

120 VOLTS 120 VOLTS

Style B:

(4) 1.125 in. x 4.125 in. markers per card

120 VOLTS 120 VOLTS

Style C:

(18) 0.5 in. x 2.25 in. markers per card

Pre-Printed Labels



Warning Labels

- Call attention to hazards on paperwork, equipment and packages
- Made of B-946 pressure sensitive vinyl
- **0.5, 1 and 2 inch labels:** 10 per card, 10 cards per pack
- **4 inch labels:** 3 per card, 10 cards per pack
- **8 inch labels:** 1 per card, 10 cards per pack



No Smoking

60237 2 in. x 2 in. Vinyl 50/pk.

* 5 labels per card. 10 cards per pack



Acid

60184	0.5 in. x 0.5 in.	Vinyl	100/pk.
60195	1 in. x 1 in.	Vinyl	100/pk.
60206	2 in. x 2 in.	Vinyl	100/pk.
60217	4 in. x 4 in.	Vinyl	30/pk.
60228	8 in. x 8 in.	Vinyl	10/pk.



Battery Hazard

60186	0.5 in. x 0.5 in.	Vinyl	100/pk.
60197	1 in. x 1 in.	Vinyl	100/pk.
60208	2 in. x 2 in.	Vinyl	100/pk.
60219	4 in. x 4 in.	Vinyl	30/pk.
60230	8 in. x 8 in.	Vinyl	10/pk.



Electrical Voltage

60235	0.5 in. x 0.5 in.	Vinyl	100/pk.
60191	1 in. x 1 in.	Vinyl	100/pk.
60202	2 in. x 2 in.	Vinyl	100/pk.
60213	4 in. x 4 in.	Vinyl	30/pk.
60224	8 in. x 8 in.	Vinyl	10/pk.



Explosive Atmosphere

60189	0.5 in. x 0.5 in.	Vinyl	100/pk.
60200	1 in. x 1 in.	Vinyl	100/pk.
60211	2 in. x 2 in.	Vinyl	100/pk.
60222	4 in. x 4 in.	Vinyl	30/pk.
60233	8 in. x 8 in.	Vinyl	10/pk.



Explosive Material

60182	0.5 in. x 0.5 in.	Vinyl	100/pk.
60193	1 in. x 1 in.	Vinyl	100/pk.
60204	2 in. x 2 in.	Vinyl	100/pk.
60215	4 in. x 4 in.	Vinyl	30/pk.
60226	8 in. x 8 in.	Vinyl	10/pk.



Flammable Material

60181	0.5 in. x 0.5 in.	Vinyl	100/pk.
60192	1 in. x 1 in.	Vinyl	100/pk.
60203	2 in. x 2 in.	Vinyl	100/pk.
60214	4 in. x 4 in.	Vinyl	30/pk.
60225	8 in. x 8 in.	Vinyl	10/pk.



Hazardous Area

60188	0.5 in. x 0.5 in.	Vinyl	100/pk.
60199	1 in. x 1 in.	Vinyl	100/pk.
60210	2 in. x 2 in.	Vinyl	100/pk.
60221	4 in. x 4 in.	Vinyl	30/pk.
60232	8 in. x 8 in.	Vinyl	10/pk.



Laser Beam

60187	0.5 in. x 0.5 in.	Vinyl	100/pk.
60198	1 in. x 1 in.	Vinyl	100/pk.
60209	2 in. x 2 in.	Vinyl	100/pk.
60220	4 in. x 4 in.	Vinyl	30/pk.
60231	8 in. x 8 in.	Vinyl	10/pk.



Radioactive Material

60185	0.5 in. x 0.5 in.	Vinyl	100/pk.
60196	1 in. x 1 in.	Vinyl	100/pk.
60207	2 in. x 2 in.	Vinyl	100/pk.
60218	4 in. x 4 in.	Vinyl	30/pk.
60229	8 in. x 8 in.	Vinyl	10/pk.



Static Sensitive Devices

60190	0.5 in. x 0.5 in.	Vinyl	100/pk.
60201	1 in. x 1 in.	Vinyl	100/pk.
60212	2 in. x 2 in.	Vinyl	100/pk.
60223	4 in. x 4 in.	Vinyl	30/pk.
60234	8 in. x 8 in.	Vinyl	10/pk.



Toxic Material

60183	0.5 in. x 0.5 in.	Vinyl	100/pk.
60194	1 in. x 1 in.	Vinyl	100/pk.
60205	2 in. x 2 in.	Vinyl	100/pk.
60216	4 in. x 4 in.	Vinyl	30/pk.
60227	8 in. x 8 in.	Vinyl	10/pk.



Porta-Pack® Voltage Labels

- Voltage labels mounted on pocket-sized flip strip cards so they are easy to carry and always on hand when needed
- Made of self-sticking vinyl material

Catalog #	Legend	Size	Quantity
44500	120 Volts	0.562 in. x 3.250 in.	3 labels/card; 5 cards/pack
44501	240 Volts	0.562 in. x 3.250 in.	3 labels/card; 5 cards/pack
44503	480 Volts	0.562 in. x 3.250 in.	3 labels/card; 5 cards/pack

Mr. Ouch Transformer Labels

- National Electrical Manufacturers Association (NEMA) recommends use on transformers located in public areas
- Meet the NEMA Standard as well as Underwriters Laboratory Performance Standard #969
- Made of B-927 tamper-resistant film



46346 8 in. x 4.5 in. 1 ea.



46347 8 in. x 4.5 in. 1 ea.




46348 4.5 in. x 10.75 in. 1 ea.



46349 4.5 in. x 10.75 in. 1 ea.

CEMA Conveyor Safety Labels

- Conveyor Equipment Safety Labels help make your conveying equipment operations safer
- Made of B-302 high-performance polyester



96175 6 in. x 3 in. 5/pk.



96179 6 in. x 3 in. 5/pk.



96177 6 in. x 3 in. 5/pk.




96180 6 in. x 3 in. 5/pk.



96178 6 in. x 3 in. 5/pk.



96160 2.5 in. x 5 in. 5/pk.



96168 2.5 in. x 5 in. 5/pk.



96167 2.5 in. x 5 in. 5/pk.



96171 2.5 in. x 5 in. 5/pk.



96162 2.5 in. x 5 in. 5/pk.



96158 2.5 in. x 5 in. 5/pk.



96157 2.5 in. x 5 in. 5/pk.



96170 2.5 in. x 5 in. 5/pk.



96156 2.5 in. x 5 in. 5/pk.



96164 2.5 in. x 5 in. 5/pk.




96155 2.5 in. x 5 in. 5/pk.




96165 2.5 in. x 5 in. 5/pk.



96159 2.5 in. x 5 in. 5/pk.



96163 2.5 in. x 5 in. 5/pk.



96173 2.5 in. x 5 in. 5/pk.

Pre-Printed Labels

BradyID.com/s36

Quality Control Labels

- Identify the calibration, testing and repair of tools and equipment
- Material options include B-500 repositionable vinyl cloth, B-619 permanent polyester and B-184 aluminum foil tape
- Standard package is 1 card. Value pack (VP) is 5 cards. Bulk pack (PK) is 25 cards



(BLANK)

B-500 repositionable vinyl cloth			
WO-47	0.250 x 0.75 in.	Vinyl	72 labels
WO-47-PK	0.250 x 0.75 in.	Vinyl	1800 labels
WO-46	0.250 x 1.50 in.	Vinyl	36 labels
WO-46-VP	0.250 x 1.50 in.	Vinyl	180 labels
WO-46-PK	0.250 x 1.50 in.	Vinyl	900 labels
WO-35	0.343 x 1.50 in.	Vinyl	25 labels
WO-35-PK	0.343 x 1.50 in.	Vinyl	625 labels
WO-30	0.437 x 1.50 in.	Vinyl	20 labels
WO-30-PK	0.437 x 1.50 in.	Vinyl	500 labels
WO-48	0.500 x 0.50 in.	Vinyl	54 labels
WO-49	0.500 x 1.50 in.	Vinyl	18 labels
WO-49-PK	0.500 x 1.50 in.	Vinyl	450 labels
WO-68	0.500 x 2.25 in.	Vinyl	18 labels
WO-24	0.625 x 1.50 in.	Vinyl	14 labels
WO-24-PK	0.625 x 1.50 in.	Vinyl	350 labels
WO-50	0.750 x 0.50 in.	Vinyl	36 labels
WO-50-PK	0.750 x 0.50 in.	Vinyl	900 labels
WO-62	0.750 x 2.25 in.	Vinyl	12 labels
WO-62-VP	0.750 x 2.25 in.	Vinyl	60 labels
WO-59	1.000 x 1.50 in.	Vinyl	9 labels
WO-59-PK	1.000 x 1.50 in.	Vinyl	225 labels
WO-19	1.500 x 1.00 in.	Vinyl	9 labels
WO-19-VP	1.500 x 1.00 in.	Vinyl	45 labels
WO-19-PK	1.500 x 1.00 in.	Vinyl	225 labels
WO-16	1.500 x 1.50 in.	Vinyl	6 labels
WO-56	2.250 x 1.50 in.	Vinyl	6 labels
WO-56-PK	2.250 x 1.50 in.	Vinyl	150 labels
WO-54	2.250 x 2.25 in.	Vinyl	4 labels
WO-54-PK	2.250 x 2.25 in.	Vinyl	100 labels
B-619 permanent polyester			
WOX-47	0.250 x 0.75 in.	Poly.	72 labels
WOX-46	0.250 x 1.50 in.	Poly.	36 labels
WOX-49	0.500 x 1.50 in.	Poly.	18 labels
WOX-24	0.625 x 1.50 in.	Poly.	14 labels
B-184 aluminum foil tape			
WOAF-46	0.250 x 1.50 in.	Alum.	36 labels
WOAF-30	0.437 x 1.50 in.	Alum.	20 labels
WOAF-30-PK	0.437 x 1.50 in.	Alum.	500 labels
WOAF-24	0.625 x 1.50 in.	Alum.	14 labels
WOAF-19	1.500 x 1.00 in.	Alum.	9 labels

ACCEPTED

BY _____ DATE _____

WO-2	0.625 x 1.5 in.	Vinyl	14 labels
WO-2-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-2	0.625 x 1.5 in.	Poly.	14 labels
WOX-2-PK	0.625 x 1.5 in.	Poly.	350 labels
WOAF-2	0.625 x 1.5 in.	Alum.	14 labels

CALIBRATION

BY _____ DATE _____

DUE _____

WO-10	0.625 x 1.5 in.	Vinyl	14 labels
WO-10-VP	0.625 x 1.5 in.	Vinyl	70 labels
WO-10-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-10	0.625 x 1.5 in.	Poly.	14 labels
WOX-10-PK	0.625 x 1.5 in.	Poly.	350 labels
WOAF-10	0.625 x 1.5 in.	Alum.	14 labels
WOAF-10-PK	0.625 x 1.5 in.	Alum.	350 labels

CALIBRATION DATE _____

BY _____

DUE _____

WO-9	1.0 x 1.5 in.	Vinyl	9 labels
WO-9-PK	1.0 x 1.5 in.	Vinyl	225 labels
WOX-9	1.0 x 1.5 in.	Poly.	9 labels
WOX-9-PK	1.0 x 1.5 in.	Poly.	225 labels
WOAF-9	1.0 x 1.5 in.	Alum.	9 labels
WOAF-9-PK	1.0 x 1.5 in.	Alum.	225 labels

BATCH NO. _____

DATE _____

WO-7	0.625 x 1.5 in.	Vinyl	14 labels
------	-----------------	-------	-----------

CALIBRATION DATE _____

BY _____ DUE _____

INST. I.D. _____

WO-64	0.625 x 1.5 in.	Vinyl	14 labels
WO-64-PK	0.625 x 1.5 in.	Vinyl	350 labels

CALIBRATED

BY _____ DATE _____

DUE _____

WO-41	0.625 x 1.5 in.	Vinyl	14 labels
WO-41-PK	0.625 x 1.5 in.	Vinyl	350 labels

CALIBRATED

EXPIRES _____

IDENT. NO. _____

ACCURACY _____

DATE CAL. _____

BY _____

DEPT. NO. _____

WO-63	0.5 x 1.50 in.	Vinyl	6 labels
-------	----------------	-------	----------

CALIBRATION NOT REQUIRED

WO-53	0.5 x 1.5 in.	Vinyl	18 labels
WO-53-PK	0.5 x 1.5 in.	Vinyl	450 labels
WOAF-53	0.5 x 1.5 in.	Alum.	18 labels
WOAF-53-PK	0.5 x 1.5 in.	Alum.	450 labels

CAUTION

WO-11	0.625 x 1.5 in.	Vinyl	14 labels
WO-11-PK	0.625 x 1.5 in.	Vinyl	350 labels

CERTIFICATION

BY _____ DATE _____

DUE _____

WO-42	0.625 x 1.5 in.	Vinyl	14 labels
WO-42-PK	0.625 x 1.5 in.	Vinyl	350 labels

CIRCUIT NO. _____

LOCATION _____

WO-14	0.625 x 1.5 in.	Vinyl	14 labels
-------	-----------------	-------	-----------

DATE INSTALLED

BY _____

WO-17	0.625 x 1.5 in.	Vinyl	14 labels
WO-17-PK	0.625 x 1.5 in.	Vinyl	350 labels

DO NOT USE

AFTER _____

WO-18	0.625 x 1.5 in.	Vinyl	14 labels
WO-18-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-18	0.625 x 1.5 in.	Poly.	14 labels
WOX-18-PK	0.625 x 1.5 in.	Poly.	350 labels
WOAF-18	0.625 x 1.5 in.	Alum.	14 labels

DO NOT USE

Until Tested & Calibrated

WO-51	0.625 x 1.5 in.	Vinyl	14 labels
WO-51-PK	0.625 x 1.5 in.	Vinyl	350 labels

DUE FOR INSPECTION

DO NOT REMOVE

WO-20	0.625 x 1.5 in.	Vinyl	14 labels
WO-20-PK	0.625 x 1.5 in.	Vinyl	350 labels

EXTINGUISHER

CHECKED ON _____

DATE _____ BY _____

WOX-23	0.625 x 1.5 in.	Poly.	14 labels
--------	-----------------	-------	-----------

HOLD

FOR _____

UNTIL _____

WO-3	0.625 x 1.5 in.	Vinyl	14 labels
------	-----------------	-------	-----------

HOLD FOR INSPECTION	
BY _____	DATE _____
REASON _____	

WO-6 0.625 x 1.5 in. Vinyl 14 labels

INSPECTED BY:	
DATE _____	

WO-52 0.625 x 1.5 in. Vinyl 14 labels
WO-52-VP 0.625 x 1.5 in. Vinyl 70 labels
WO-52-PK 0.625 x 1.5 in. Vinyl 350 labels

INVENTORY	
NO: _____	DATE: _____
COUNT: _____	BY: _____

WO-27 1.0 x 1.5 in. Vinyl 9 labels

MAINTENANCE	
BY: _____	DATE: _____

WO-43 0.625 x 1.5 in. Vinyl 14 labels
WO-43-PK 0.625 x 1.5 in. Vinyl 350 labels

PROPERTY TAG	
ASSET NO. _____	

WOAF-29 0.5 x 1.5 in. Alum. 18 labels
WOAF-29-VP 0.5 x 1.5 in. Alum. 90 labels
WOAF-29-PK 0.5 x 1.5 in. Alum. 450 labels

RE-WORK	
DATE _____	BY: _____
REASON: _____	

WO-5 0.625 x 1.5 in. Vinyl 14 labels
WO-5-PK 0.625 x 1.5 in. Vinyl 350 labels
WOX-5 0.625 x 1.5 in. Poly. 14 labels

REJECTED	
DATE _____	BY _____
REASON _____	

WO-1 0.625 x 1.5 in. Vinyl 14 labels
WO-1-PK 0.625 x 1.5 in. Vinyl 350 labels
WOX-1 0.625 x 1.5 in. Poly. 14 labels

REPAIRED BY	
INITIALS _____	DATE _____

WO-31 0.625 x 1.5 in. Vinyl 14 labels
WO-31-PK 0.625 x 1.5 in. Vinyl 350 labels
WOX-31 0.625 x 1.5 in. Poly. 14 labels

RETURN TO VENDOR	
BY _____	DATE _____
REASON _____	

WO-4 0.625 x 1.5 in. Vinyl 14 labels

REV.	

WOX-57 0.75 x 0.25 Poly. 72 labels

SCRAPPED	
DATE _____	INITIALS _____

WO-33 0.625 x 1.5 in. Vinyl 14 labels

STOCK NO.	

WO-37 0.5 x 1.5 in. Vinyl 18 labels
WO-37-PK 0.5 x 1.5 in. Vinyl 450 labels

SERIAL NO.	
MODEL NO.	
VOLTS	AC-DC
AMPS	HERTZ

WOAF-36 2.25 x 1.5 in. Alum. 6 labels
WOAF-36-VP 2.25 x 1.5 in. Alum. 30 labels
WOAF-36-PK 2.25 x 1.5 in. Alum. 150 labels

SERIAL NO.	

WO-34 0.5 x 1.5 in. Vinyl 18 labels
WO-34-PK 0.5 x 1.5 in. Vinyl 450 labels
WOAF-34 0.5 x 1.5 in. Alum. 18 labels
WOAF-34-PK 0.5 x 1.5 in. Alum. 450 labels

TESTED	
DATE _____	INITIALS _____

WO-38 0.625 x 1.5 in. Vinyl 14 labels
WO-38-PK 0.625 x 1.5 in. Vinyl 350 labels
WOX-38 0.625 x 1.5 in. Poly. 14 labels
WOX-38-PK 0.625 x 1.5 in. Poly. 350 labels
WOAF-38 0.625 x 1.5 in. Alum. 14 labels
WOAF-38-PK 0.625 x 1.5 in. Alum. 350 labels

TOOL NO.	
DEPT.	_____

WO-39 0.625 x 1.5 in. Poly. 14 labels

Bilingual Labels

- Labels feature English and Spanish legends
- Made of B-500 repositionable vinyl cloth
- Standard package is 1 card

CALIBRATED	
BY _____	DATE _____
DUE _____	DEBIDO _____

WOS-41 0.625 x 1.5 in. Vinyl 14/card

CALIBRATION	
BY _____	DATE _____
DUE _____	DEBIDO _____

WOS-10 0.625 x 1.5 in. Vinyl 14/card

REJECTED	
BY _____	DATE _____
REASON _____	RAZON _____

WOS-1 0.625 x 1.5 in. Vinyl 14/card



Write-On Inspection Labels

- Made of durable, write-on polyester
- 364 identical labels per package

ACCEPTED	
DATE _____	INITIALS _____

82586 0.625 x 1.5 in. 364/pk.

CALIBRATED	
BY _____	DATE _____
DUE FOR CAL. _____	

82589 0.625 x 1.5 in. 364/pk.

CALIBRATED	
BY _____	DATE _____
DUE FOR CAL. _____	

82592 0.625 x 1.5 in. 364/pk.

CALIBRATION	
BY _____	DATE _____
NEXT CAL. DUE _____	
INSTRUMENT# _____	

42211 0.625 x 1.5 in. 364/pk.

CALIBRATION NOT REQUIRED	
--------------------------	--

82594 0.625 x 1.5 in. 364/pk.

CERTIFICATION	
BY _____	DATE _____
DUE _____	

42217 0.625 x 1.5 in. 364/pk.

DO NOT USE	
AFTER _____	
DATE _____	

82590 0.625 x 1.5 in. 364/pk.

INSPECTED	
DATE _____	INITIALS _____

82587 0.625 x 1.5 in. 364/pk.

MAINTENANCE	
BY _____	DATE _____

42221 0.625 x 1.5 in. 364/pk.

REJECTED	
BY _____	DATE _____

82591 0.625 x 1.5 in. 364/pk.

REPAIRED BY	
INITIALS _____	DATE _____

82593 0.625 x 1.5 in. 364/pk.

TESTED	
DATE _____	INITIALS _____

82588 0.625 x 1.5 in. 364/pk.

Pre-Printed Labels

BradyID.com/s36

Machine and Equipment Labels

- Labels communicate dangers and messages to those close to or working around machinery and equipment
- Place these small labels on equipment to increase safety
- Made of B-302 self-sticking polyester




86271 3.5 x 5 in. Poly. 5/pk.



86864 3.5 x 5 in. Poly. 5/pk.



86841 3.5 x 5 in. Poly. 5/pk.



86842 3.5 x 5 in. Poly. 5/pk.



86843 3.5 x 5 in. Poly. 5/pk.




86844 3.5 x 5 in. Poly. 5/pk.




86846 3.5 x 5 in. Poly. 5/pk.




86889 3.5 x 5 in. Poly. 5/pk.




86866 3.5 x 5 in. Poly. 5/pk.



86850 3.5 x 5 in. Poly. 5/pk.



86853 3.5 x 5 in. Poly. 5/pk.




81963 3.5 x 5 in. Poly. 5/pk.




86857 3.5 x 5 in. Poly. 5/pk.




86260 3.5 x 5 in. Poly. 5/pk.




86870 3.5 x 5 in. Poly. 5/pk.




60372 3.5 x 5 in. Poly. 5/pk.




86784 3.5 x 5 in. Poly. 5/pk.




86786 3.5 x 5 in. Poly. 5/pk.




86785 3.5 x 5 in. Poly. 5/pk.



60373 3.5 x 5 in. Poly. 5/pk.



86783 3.5 x 5 in. Poly. 5/pk.



86789 3.5 x 5 in. Poly. 5/pk.



86895 3.5 x 5 in. Poly. 5/pk.



86898 3.5 x 5 in. Poly. 5/pk.



86913 3.5 x 5 in. Poly. 5/pk.

Pre-Printed Labels

Stock Spanish Labels Available

Contact Brady Customer Service to order.



86847 3.5 x 5 in. Poly. 5/pk.




86235 5 x 3.5 in. Poly. 5/pk.



86234 5 x 3.5 in. Poly. 5/pk.



86792 3.5 x 5 in. Poly. 5/pk.



86793 3.5 x 5 in. Poly. 5/pk.



86882 3.5 x 5 in. Poly. 5/pk.



86796 3.5 x 5 in. Poly. 5/pk.




86797 3.5 x 5 in. Poly. 5/pk.



86869 3.5 x 5 in. Poly. 5/pk.



86899 3.5 x 5 in. Poly. 5/pk.




86798 3.5 x 5 in. Poly. 5/pk.



86799 3.5 x 5 in. Poly. 5/pk.




86801 3.5 x 5 in. Poly. 5/pk.



86896 3.5 x 5 in. Poly. 5/pk.




86804 3.5 x 5 in. Poly. 5/pk.



86861 3.5 x 5 in. Poly. 5/pk.




86871 5 x 3.5 in. Poly. 5/pk.



86860 3.5 x 5 in. Poly. 5/pk.



86877 5 x 3.5 in. Poly. 5/pk.



86862 3.5 x 5 in. Poly. 5/pk.



86808 3.5 x 5 in. Poly. 5/pk.



86811 3.5 x 5 in. Poly. 5/pk.



86891 3.5 x 5 in. Poly. 5/pk.



86886 5 x 3.5 in. Poly. 5/pk.




86894 3.5 x 5 in. Poly. 5/pk.



86874 3.5 x 5 in. Poly. 5/pk.



86885 3.5 x 5 in. Poly. 5/pk.




86868 3.5 x 5 in. Poly. 5/pk.



86867 3.5 x 5 in. Poly. 5/pk.



86813 3.5 x 5 in. Poly. 5/pk.



86863 3.5 x 5 in. Poly. 5/pk.



86148 3.5 x 5 in. Poly. 5/pk.



86817 3.5 x 5 in. Poly. 5/pk.

Pre-Printed Labels

BradyID.com/s36

Machine and Equipment Labels (continued)




86887 5 x 3.5 in. Poly. 5/pk.



86818 3.5 x 5 in. Poly. 5/pk.



86865 3.5 x 5 in. Poly. 5/pk.



86248 3.5 x 5 in. Poly. 5/pk.



86250 3.5 x 5 in. Poly. 5/pk.



86194 3.5 x 5 in. Poly. 5/pk.



86905 3.5 x 5 in. Poly. 5/pk.



86859 3.5 x 5 in. Poly. 5/pk.




86193 3.5 x 5 in. Poly. 5/pk.



86909 3.5 x 5 in. Poly. 5/pk.



86890 3.5 x 5 in. Poly. 5/pk.



86879 3.5 x 5 in. Poly. 5/pk.



86302 3.5 x 5 in. Poly. 5/pk.



86880 3.5 x 5 in. Poly. 5/pk.



86900 3.5 x 5 in. Poly. 5/pk.



86901 3.5 x 5 in. Poly. 5/pk.



86826 3.5 x 5 in. Poly. 5/pk.



86828 3.5 x 5 in. Poly. 5/pk.




86830 3.5 x 5 in. Poly. 5/pk.



86832 3.5 x 5 in. Poly. 5/pk.



86878 3.5 x 5 in. Poly. 5/pk.



86902 3.5 x 5 in. Poly. 5/pk.



86837 3.5 x 5 in. Poly. 5/pk.



86903 3.5 x 5 in. Poly. 5/pk.



86838 3.5 x 5 in. Poly. 5/pk.



86839 3.5 x 5 in. Poly. 5/pk.



86266 5 x 3.5 in. Poly. 5/pk.



86243 3.5 x 5 in. Poly. 5/pk.

Pre-Printed Labels

Machine and Equipment Labels (continued)



Gas Cylinder Labels

- Promote safety and safe handling of gas cylinders by posting these labels around cylinders and cylinder storage areas
- Labels remove cleanly, leaving no residue on surface
- Made of B-235 self-adhesive paper



Pre-Printed Labels

BradyID.com/s36

Cabinet Labels

- Clearly identify cabinets containing chemicals and safety equipment
- Specially designed for placement on any size cabinet, including one-door and low-capacity cabinets
- Made of B-302 self-adhesive laminated polyester



60284 3.5 x 12 in. Polyester 1 ea.
60261 7 x 24 in. Polyester 1 ea.



60285 3.5 x 12 in. Polyester 1 ea.
60262 7 x 24 in. Polyester 1 ea.



60286 3.5 x 12 in. Polyester 1 ea.
60263 7 x 24 in. Polyester 1 ea.



60287 3.5 x 12 in. Polyester 1 ea.
60264 7 x 24 in. Polyester 1 ea.



60288 3.5 x 12 in. Polyester 1 ea.
60265 7 x 24 in. Polyester 1 ea.



60289 3.5 x 12 in. Polyester 1 ea.
60266 7 x 24 in. Polyester 1 ea.



60290 3.5 x 12 in. Polyester 1 ea.
60267 7 x 24 in. Polyester 1 ea.



60291 3.5 x 12 in. Polyester 1 ea.
60268 7 x 24 in. Polyester 1 ea.



60292 3.5 x 12 in. Polyester 1 ea.
60269 7 x 24 in. Polyester 1 ea.



60294 3.5 x 12 in. Polyester 1 ea.
60271 7 x 24 in. Polyester 1 ea.



60295 3.5 x 12 in. Polyester 1 ea.
60272 7 x 24 in. Polyester 1 ea.



60296 3.5 x 12 in. Polyester 1 ea.
60273 7 x 24 in. Polyester 1 ea.



60297 3.5 x 12 in. Polyester 1 ea.
60274 7 x 24 in. Polyester 1 ea.



60298 3.5 x 12 in. Polyester 1 ea.
60275 7 x 24 in. Polyester 1 ea.



60299 3.5 x 12 in. Polyester 1 ea.
60276 7 x 24 in. Polyester 1 ea.



60300 3.5 x 12 in. Polyester 1 ea.
60277 7 x 24 in. Polyester 1 ea.



60301 3.5 x 12 in. Polyester 1 ea.
60278 7 x 24 in. Polyester 1 ea.



60302 3.5 x 12 in. Polyester 1 ea.
60279 7 x 24 in. Polyester 1 ea.



60303 3.5 x 12 in. Polyester 1 ea.
60280 7 x 24 in. Polyester 1 ea.



60293 3.5 x 12 in. Polyester 1 ea.
60270 7 x 24 in. Polyester 1 ea.



60304 3.5 x 12 in. Polyester 1 ea.
60281 7 x 24 in. Polyester 1 ea.



60305 3.5 x 12 in. Polyester 1 ea.
60282 7 x 24 in. Polyester 1 ea.



60306 3.5 x 12 in. Polyester 1 ea.
60283 7 x 24 in. Polyester 1 ea.

Pre-Printed Labels

Container Labels

- Bold pre-printed labels leave no doubt as to the contents of containers
- Self-adhesive polyester labels are constructed from laminated polyester
- Chemical resistant for longer label life



ACETONE	ALCOHOL	CHLORINATED SOLVENTS	DIESEL FUEL	FUEL OIL	GASOLINE
60243 3 x 7 in. 25/pk.	60244 3 x 7 in. 25/pk.	60245 3 x 7 in. 25/pk.	60246 3 x 7 in. 25/pk.	60247 3 x 7 in. 25/pk.	60248 3 x 7 in. 25/pk.
ISOPROPYL ALCOHOL	KEROSENE	LACQUER THINNER	METHYL ETHYL KETONE	RECYCLABLE OIL	SOLVENT
60249 3 x 7 in. 25/pk.	60250 3 x 7 in. 25/pk.	60251 3 x 7 in. 25/pk.	60252 3 x 7 in. 25/pk.	60253 3 x 7 in. 25/pk.	60254 3 x 7 in. 25/pk.
THINNER	TOLUENE	USED OIL	WASTE FLAMMABLE	WASTE OIL	XYLENE
60255 3 x 7 in. 25/pk.	60256 3 x 7 in. 25/pk.	60257 3 x 7 in. 25/pk.	60258 3 x 7 in. 25/pk.	60259 3 x 7 in. 25/pk.	60260 3 x 7 in. 25/pk.

Fire Extinguisher Labels

- Fire extinguisher labels use the most recently recommended pictorial design from NAFED (National Association of Fire Equipment Distributors)
- Label style meets the NFPA 10, 1084 standard for portable fire extinguishers labels


45193 1.5 x 1.5 in. B-927 6/card 95218 3 x 3 in. B-927 3/card	45194 1.5 x 1.5 in. B-927 6/card 95219 3 x 3 in. B-927 3/card	45195 1.5 x 1.5 in. B-927 6/card 95220 3 x 3 in. B-927 3/card	45196 1.5 x 1.5 in. B-927 6/card 95221 3 x 3 in. B-927 3/card
95222 1.5 x 6 in. B-927 6/card	95223 1.5 x 6 in. B-927 6/card	95224 1.5 x 6 in. B-927 6/card	95225 1.5 x 6 in. B-927 6/card
95226 1.5 x 6 in. B-927 6/card	95227 1.5 x 6 in. B-927 6/card	95228 1.5 x 6 in. B-927 6/card	76303 1.5 x 3 in. B-927 3/card
A extinguishers, water based 76299 2 x 5 in. B-927 5/card	A/B extinguishers, AFFF, foam 76300 2 x 5 in. B-927 5/card	B/C extinguishers, carbon dioxide, halon 1211 and 1301, dry chemical 76301 2 x 5 in. B-927 5/card	A/B/C extinguishers, halon 1211, multi-purpose dry chemical 76302 2 x 5 in. B-927 5/card

Pre-Printed Labels

BradyID.com/s36

Hard Hat Emblems

- Provide a constant visual reminder to observe good safety practices
- Emblems may also be used to identify first aid personnel.
- 2 in. diameter indoor / outdoor vinyl labels and are card-mounted
- Glow-in-the-dark labels sold 1 per card, non glow-in-the-dark sold 4 per card



Pre-Printed Labels



Reflective Hard Hat Labels

- Made of silver-reflective, pressure-sensitive vinyl so they are easy to read even in low-light conditions

Catalog #	Legend	Size	Qty.
28713	Chief	3 in. x 6.875 in.	1
28714	Emergency Medical Technician	3 in. x 6.875 in.	1
28720	Safety Officers	3 in. x 6.875 in.	1



Reflective Hard Hat Stripes

- (50) 1.25 in. x 5 in. stripes per package

Catalog #	Description	Qty.
95229	1.25 in. x 5 in.	50



Write-On Magnetic Labels

- Re-useable labels with a water-soluble pen that wipes off with a wet cloth
- For a permanent label, use our permanent marking pen (87052)

Catalog #	Size	Color	Qty.
56957	1 in. x 50 ft.	Blue	1 roll
56958	1 in. x 50 ft.	Green	1 roll
56959	1 in. x 50 ft.	Orange	1 roll
56960	1 in. x 50 ft.	Red	1 roll
56961	1 in. x 50 ft.	White	1 roll
56962	1 in. x 50 ft.	Yellow	1 roll



Gauge Marking Labels

- Color code your gauges to easily identify acceptable or dangerous levels
- Transparent, adhesive polyester label sheets

Catalog #	Description	Color	Qty.
30697	9 in. x 10 in. sheet	Red	1
30698	9 in. x 10 in. sheet	Green	1
30699	9 in. x 10 in. sheet	Yellow	1

Print-Your-Own Labels

Benchtop and portable printers offer you the opportunity to make custom labels on-demand. No need to wait for custom labels to arrive, simply print your own labels at the point of need.



For more information view:
Benchtop printers..... page 26
Portable printers..... page 102



Numbers and Letters

BradyID.com/s36

ToughStripe® Floor Marking Numbers and Letters

- Easy to view 6 in. x 8 in. numbers and letters are ideal for marking aisle-ways, shipping and receiving docks, distribution centers or other areas in your facility
- Material removes cleanly without any unsightly adhesive residue or damage to the floor

	Black 20/pk.	White 20/pk.	Red 20/pk.	Green 20/pk.	Blue 20/pk.	Yellow 20/pk.
0	121847	121848	121849	121850	121851	121852
1	121853	121854	121855	121856	121857	121858
2	121859	121860	121861	121862	121863	121864
3	121865	121866	121867	121868	121869	121870
4	121871	121872	121873	121874	121875	121876
5	121877	121878	121879	121880	121881	121882
6	121883	121884	121885	121886	121887	121888
7	121889	121890	121891	121892	121893	121894
8	121895	121896	121897	121898	121899	121900
9	121901	121902	121903	121904	121905	121906
A	121691	121692	121693	121694	121695	121696
B	121697	121698	121699	121700	121701	121702
C	121703	121704	121705	121706	121707	121708
D	121709	121710	121711	121712	121713	121714
E	121715	121716	121717	121718	121719	121720
F	121721	121722	121723	121724	121725	121726
G	121727	121728	121729	121730	121731	121732
H	121733	121734	121735	121736	121737	121738
I	121739	121740	121741	121742	121743	121744
J	121745	121746	121747	121748	121749	121750

	Black 20/pk.	White 20/pk.	Red 20/pk.	Green 20/pk.	Blue 20/pk.	Yellow 20/pk.
K	121751	121752	121753	121754	121755	121756
L	121757	121758	121759	121760	121761	121762
M	121763	121764	121765	121766	121767	121768
N	121769	121770	121771	121772	121773	121774
O	121775	121776	121777	121778	121779	121780
P	121781	121782	121783	121784	121785	121786
Q	121787	121788	121789	121790	121791	121792
R	121793	121794	121795	121796	121797	121798
S	121799	121800	121801	121802	121803	121804
T	121805	121806	121807	121808	121809	121810
U	121811	121812	121813	121814	121815	121816
V	121817	121818	121819	121820	121821	121822
W	121823	121824	121825	121826	121827	121828
X	121829	121830	121831	121832	121833	121834
Y	121835	121836	121837	121838	121839	121840
Z	121841	121842	121843	121844	121845	121846
Punct. Set*	121907	121908	121909	121910	121911	121912

* Each set includes: 40 periods, 20 commas, 20 question marks, 20 exclamation points, 20 forward slashes, 20 dashes and 20 ampersands.



15 Series Outdoor Numbers and Letters

- B-946 premium outdoor grade vinyl with permanent pressure sensitive adhesive
- Designed for permanent applications in severe outdoor environments as well as indoors
- Special acrylic adhesive adheres strongly, making marker removal difficult



15 Series Individual Cards

- Sold as individual cards

Catalog #	Character Height	Marker Size	Markers Per Card
Available in letters (A-Z), dashes (DSH) only			
1500-*	0.25 in.	0.375 in. x 0.25 in.	144
Available in numbers (0-9), letters (A-Z), dashes (DSH) and arrows (ARO).			
1520-*	0.625 in.	0.75 in. x 0.562 in.	32
1530-*	1 in.	1.5 in. x 0.875 in.	10
1534-*	2 in.	2.25 in. x 0.875 in.	10
1550-*	3 in.	3.5 in. x 1.5 in.	6
Available in numbers (0-9), letters (A-Z), dashes (DSH)			
1560-*	3.875 in.	5 in. x 1.75 in.	5
1570-*	6 in.	9 in. x 5 in.	1

To order: replace the asterisk (*) with the desired character listed above.

15 Series Combo Packs

- Standard package: 25 assorted cards

Catalog #	Character Height	Marker Size	Markers Per Card
Letter Combo Packs			
1500-LTR KIT	0.25 in.	0.375 in. x 0.25 in.	144
1520-LTR KIT	0.625 in.	0.75 in. x 0.562 in.	32
1530-LTR KIT	1 in.	1.5 in. x 0.875 in.	10
1534-LTR KIT	2 in.	2.25 in. x 0.875 in.	10
1550-LTR KIT	3 in.	3.5 in. x 1.5 in.	6
1560-LTR KIT	3.875 in.	5 in. x 1.75 in.	5
1570-LTR KIT	6 in.	9 in. x 5 in.	1
Number Combo Packs			
1500-# KIT	0.25 in.	0.375 in. x 0.25 in.	144
1520-# KIT	0.625 in.	0.75 in. x 0.562 in.	32
1530-# KIT	1 in.	1.5 in. x 0.875 in.	10
1534-# KIT	2 in.	2.25 in. x 0.875 in.	10
1550-# KIT	3 in.	3.5 in. x 1.5 in.	6
1560-# KIT	3.875 in.	5 in. x 1.75 in.	5
1570-# KIT	6 in.	9 in. x 5 in.	1





34 Series Indoor Numbers and Letters

- B-498 plastic coated cloth numbers and letters with pressure sensitive adhesive
- The adhesive and cloth backing offers excellent holding power, yet allows for clean removal and repositioning if necessary



34 Series Individual Cards

- A single number, letter or character
- Sold as individual cards

Catalog #	Character Height	Marker Size	Markers Per Card
Available in numbers (0-9), letters (A-Z), dashes (DSH)			
3400-*	0.25 in.	0.375 in. x 0.25 in.	144
3410-*	0.375 in.	0.5 in. x 1.031 in.	78
Available in numbers (0-9), letters (A-Z), dashes (DSH) and arrows (ARO).			
3420-*	0.625 in.	0.75 in. x 0.562 in.	32
3430-*	1 in.	1.5 in. x 0.875 in.	10
3440-*	1.937 in.	2.25 in. x 0.875 in.	10
3450-*	2.937 in.	3.5 in. x 1.5 in.	6
Available in numbers (0-9), letters (A-Z), dashes (DSH) and blanks (BLANK).			
3460-*	3.875 in.	5 in. x 1.75 in.	5
3470-*	6 in.	9 in. x 5 in.	1

To order: replace the asterisk (*) with the desired characters listed above.



34 Series Combo Packs

- Combo of all numbers or all letters
- Standard package: 25 assorted cards

Catalog #	Character Height	Marker Size	Markers Per Card
Letter Combo Packs (A-Z)			
3400-LTR KIT	0.25 in.	0.375 in. x 0.25 in.	144
3410-LTR KIT	0.375 in.	0.5 in. x 1.031 in.	78
3420-LTR KIT	0.625 in.	0.75 in. x 0.562 in.	32
3430-LTR KIT	1 in.	1.5 in. x 0.875 in.	10
3440-LTR KIT	1.937 in.	2.25 in. x 0.875 in.	10
3450-LTR KIT	2.937 in.	3.5 in. x 1.5 in.	6
3460-LTR KIT	3.875 in.	5 in. x 1.75 in.	5
3470-LTR KIT	6 in.	9 in. x 5 in.	1
Number Combo Packs (0-9)			
3400-# KIT	0.25 in.	0.375 in. x 0.25 in.	144
3410-# KIT	0.375 in.	0.5 in. x 1.031 in.	78
3420-# KIT	0.625 in.	0.75 in. x 0.562 in.	32
3430-# KIT	1 in.	1.5 in. x 0.875 in.	10
3440-# KIT	1.937 in.	2.25 in. x 0.875 in.	10
3450-# KIT	2.937 in.	3.5 in. x 1.5 in.	6
3460-# KIT	3.875 in.	5 in. x 1.75 in.	5
3470-# KIT	6 in.	9 in. x 5 in.	1



34 Series Consecutive Markers

- Contains sequence on one card (larger sized cards split the alphabet)
- Sold as individual cards

Catalog #	Legend	Char. Height	Marker Size	Markers Per Card
34010	(0-9)	0.25 in.	0.375 x 0.25 in.	144
34110	(0-9)	0.375 in.	0.5 x 1.031 in.	78
34138	(A-Z)	0.375 in.	0.5 x 1.031 in.	78
34210	(0-9)	0.625 in.	0.75 x 0.562 in.	32
34238	(A-Z)	0.625 in.	0.75 x 0.562 in.	32
34310	(0-9)	1 in.	1.5 x 0.875 in.	10
34340	(A-J)	1 in.	1.5 x 0.875 in.	10
34341	(K-T)	1 in.	1.5 x 0.875 in.	10
34342	(U-Z)	1 in.	1.5 x 0.875 in.	10
34410	(0-9)	1.937 in.	2.25 x 0.875 in.	10
34440	(A-J)	1.937 in.	2.25 x 0.875 in.	10
34441	(K-T)	1.937 in.	2.25 x 0.875 in.	10
34442	(U-Z)	1.937 in.	2.25 x 0.875 in.	10



97 Series Indoor / Outdoor Numbers and Letters

- B-946 markers with superior abrasion, chemical and UV resistance
- Designed for permanent applications in indoor and outdoor environments



97 Series Individual Cards

- Sold as individual cards

Catalog #	Card Size	Character Height	Markers Per Card
9712-*	0.75 in. x 2 in.	0.625 in.	20
9713-*	1.5 in. x 1 in.	1 in.	10
9714-*	2.25 in. x 1.8 in.	1.937 in.	5

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z) or dash (DSH).



97 Series Combo Packs


- Standard package: 25 assorted cards

Catalog #	Char. Height	Marker Size	Markers Per Card
Letter Combo Packs			
9712-LTR KIT	0.625 in.	0.75 in. x 2.031 in.	20
9713-LTR KIT	1 in.	1.5 in. x 1.187 in.	10
9714-LTR KIT	2 in.	2.25 in. x 1.187 in.	5
Number Combo Packs			
9712-# KIT	0.625 in.	0.75 in. x 2.031 in.	20
9713-# KIT	1 in.	1.5 in. x 1.187 in.	10
9714-# KIT	2 in.	2.25 in. x 1.187 in.	5



Numbers and Letters

BradyID.com/s36



Helvetica Quik-Align® Kits and 10-Packs

- B-933 vinyl with permanent adhesive
- Self-spacing and self-aligning die-cuts

Helvetica Quik-Align Kits:

10 identical characters or arrows; 5 identical \$ or &;
Punctuation includes 5 periods and 5 commas

Size	Black Lowercase	White Lowercase	Black Uppercase
1 in. kit	-	-	-
2 in. kit	80012	80032	-
3 in. kit	80013	80033	-
4 in. kit	80014	80034	-
6 in. kit	80016	80036	-

10-Pack Refills:

10 identical characters or arrows; 5 identical \$ or &;
Punctuation includes 5 periods and 5 commas

Size	Black Lowercase	White Lowercase	Black Uppercase
1 in.	8235-*	8305-*	8200-* Available in (0-9), (&), (\$), (\$) only
1.5 in.	8240-*	-	8205-* Available in (0-9), (&), (\$), (\$) only
2 in.	8245-*	-	-
3 in.	8250-*	8320-*	8215-*
4 in.	8255-*	8325-*	8220-* Available in (0-9), (&), (\$), (\$) only
6 in.	8265-*	8335-*	-

Letter sizes refer to uppercase letters, lowercase are proportional.
To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z), (&), (\$), (\$) or punctuation (PUN).*



Gothic Quik-Align® Kits and 10-Packs

- B-933 vinyl with permanent adhesive
- Self-spacing and self-aligning die-cuts

Gothic Quik-Align Kits:

Includes 20 each of A, E, I, L, N, O, R, S, T, and 0-9;
10 each of remaining letters; 5 each of \$ and & punctuation

Size	Black	Black Condensed	White	Yellow	Red
1 in. kit	52203	52180	52204	-	-
2 in. kit	52207	52184	52208	52210	-
3 in. kit	52211	52188	52212	52214	-
4 in. kit	52215	-	52216	-	52213
6 in. kit	52219	-	52220	-	52217

10-Pack Refills:


Includes 10 identical characters or arrows; 5 identical \$ or &;
Punctuation includes 5 periods and 5 commas

Size	Black	Black Condensed*	White	Yellow	Red
1 in.	5010-*	-	5040-*	-	-
2 in.	5050-*	6450-*	5080-*	5060-*	-
3 in.	5100-*	6500-*	5130-*	5110-*	5120-*
4 in.	5140-*	-	5170-*	5150-*	5160-*
6 in.	5180-*	-	5210-*	-	-

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z), arrow (ARO), (\$), (&) or punctuation (PUN).

* Arrows not available in Condensed Black

Number and Letter Labels



3-Series Glow-in-the-Dark Ultra Reflective Numbers and Letters

- 7 times more reflective than other reflective materials
- Black characters w/ glow-in-the-dark border on a highly-reflective silver background
- Designed for permanent application in indoor or outdoor environments

Catalog #	Marker Size	Character Size	Qty
3000-*	2.875 in. x 1.5 in.	2 in.	10
3010-*	3.5 in. x 2.5 in.	3 in.	10
3020-*	6 in. x 3 in.	5 in.	10

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z), dash (DSH), blank (BLANK), ampersand (&) or period (PRD).



BradyGlo™ Gothic Quik-Align Numbers and Letters

- Photoluminescent material charges in 5 minutes at 1000 Lux for 10+ hours of glow time
- Consistent glow life and unlimited rechargability
- Complies with ASTM 2030-99

Catalog #	Character Size	Qty
6001-*	1 in.	25
6002-*	2 in.	25
6003-*	3 in.	25
6004-*	4 in.	25

To order: replace the asterisk (*) with the desired number (0-9) or capital letter (A-Z).



Die-cut Magnetic Numbers

- Magnetic numbers are perfect for safety scoreboards

Catalog #	Size	Qty.
57624	1.5 in.	15 each of 0-3; 8 each of 4-9



Aluminum Utility Panels

- 20 mil. aluminum panels are designed to be rugged, yet conform to pole
- Recommended use with B-946 vinyl or B-997 reflective markers
- 7.25 in. panel holds eight markers
- 12 in. panel holds eleven reflective markers or twelve vinyl markers

Catalog #	Panel Size	Qty.
97198	1.75 in. x 7.25 in.	25
97199	1.75 in. x 12 in.	25



Pre-printed KVA Markers

- Help determine the KVA classification of pole-mounted transformers
- Yellow numbers printed on B-997 BradyLite Reflective Sheeting
- Come with slit liner for easy application
- Standard Package: 25 cards

Catalog #	Legend	Marker Size	Markers Per Card
50010	7 1/2	2.875 in. x 3.25 in.	1
50011	10	2.875 in. x 3.25 in.	1
50012	15	2.875 in. x 3.25 in.	1
50013	25	2.875 in. x 3.25 in.	1
50015	50	2.875 in. x 3.25 in.	1
50016	75	2.875 in. x 3.25 in.	1
50014	37 1/2	2.875 in. x 3.25 in.	1
50017	100	2.875 in. x 3.25 in.	1
50018	150	2.875 in. x 3.25 in.	1
50019	167	2.875 in. x 3.25 in.	1
50020	500	2.875 in. x 3.25 in.	1



Outdoor Numbers and Letters (B-946)

- B-946 tough vinyl film provides high visibility and lasting performance
- UV resistant protects against fading and shrugs off oil and water
- Meets APWA color code: black on orange for communications yellow on black for electric, oil and gas
- Standard package: 1 card

Catalog #	Char. Height	Marker Size	Color	Markers Per Card
6560-*	1 in.	1.5 x 0.875 in.	Blk / Org	10
6570-*	2 in.	2.25 x 0.875 in.	Blk / Org	10
7890-*	1 in.	1.5 x 0.875 in.	Ylw / Blk	10
7897-*	2 in.	2.25 x 0.875 in.	Ylw / Blk	10

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z) or dash (DSH).



Seriesystem™ Kit Serialized Markers

- B-498 repositionable vinyl cloth with black character on yellow background
- 10 single digit cards (0-9) included in each kit for replacing numbers
- Standard Package:
 - Legend 01-99 is 6/card, 27 cards/package
 - Legend 001-999 is 12/card, 94 cards/package

Catalog #	Legends	Char. Height	Marker Size	Markers Per Card
34353	01-99	1 in.	1.5 x 1.5 in.	6
34253	001-999	0.625 in.	0.75 x 1.5 in.	12



Bradylite® Reflective Numbers and Letters (B-997)

- Reflects light 100 times brighter than a plain white surface
- Will perform in tough environmental conditions
- Can be applied in temps as low as 10° F
- Standard package: 25 cards

Catalog #	Char. Height	Marker Size	Color	Markers Per Card
5900-*	1 in.	1.5 x 1 in.	Blk / Slvr	1
5905-*	1 in.	1.5 x 1 in.	Ylw / Blk	1
5920-*	1 in.	1.5 x 1 in.	Blk / Ylw	1
5890-*	1.5 in.	1.875 x 1.375 in.	Ylw / Blk	1
5000-*	2.5 in.	2.875 x 1.75 in.	Ylw / Blk	1
Only available in numbers (0-9) and blank (BLANK)				
5910-*	1 in.	1.5 x 1 in.	Blk / Org	1

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z), dash (DSH) or blank (BLANK)



Aluminum Embossed Numbers and Letters

- Roman style numbers and letters contain pre-punched holes for easy installation; 1 in. nails included
- Standard Package: 10

Catalog #	Character Height	Qty.
1600-*	3 in.	10

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z).

There's more online at

BradyID.com/s36

Design-Your-Own Padlock Online new

Create a custom SafeKey padlock with the options you need, including engraving, in one easy-to-use online tool.

Design-Your-Own Signs Online

Custom signs in no time! Quickly design, proof and order your custom safety signs with this convenient online tool.



We identify and protect premises, products and people.

For more information or to learn more about our innovative
products, visit BradyID.com or call 1-888-272-3946.



Y4824855 MS4824855

© 2019 Brady Worldwide Inc. ALL RIGHTS RESERVED

USA
Customer Service: 1-888-272-3946
Inside Sales: 1-888-311-0775
BradyID.com

Canada
Customer Service: 1-800-263-6179
BradyCanada.ca

Mexico
Customer Service: 1-800-262-7777
Inside Sales: 1-800-262-7777 ext 177
BradyLatinAmerica.com

